В





High grade carbon steel sockets. Hardened and tempered for added strength. Chrome plated and mirror finished. WallDrive® socket configuration.

Model No:	Size:	Depth:
S0576	8mm	Standard
S0577	10mm	Standard
S0578	11mm	Standard
S0579	12mm	Standard
S0580	13mm	Standard
S0581	14mm	Standard
S0582	15mm	Standard
S0583	16mm	Standard
S0584	17mm	Standard
S0585	18mm	Standard
S0586	19mm	Standard
S0587	8mm	Deep
S0588	10mm	Deep
S0589	11mm	Deep
S0590	12mm	Deep
S0591	13mm	Deep
S0592	14mm	Deep
S0593	15mm	Deep
S0594	16mm	Deep
S0595	17mm	Deep
S0596	18mm	Deep
S0597	19mm	Deep

LIFETIME GUARANTEE

All Premier and Siegen Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects.

DUAL FINISH

Cold-forged Chrome Vanadium steel sockets, hardened and tempered for added strength. Half chrome and half satin finish with knurled ring for extra grip.

Cold-forged Chrome

MIRROR **FINISH**

Vanadium steel sockets, hardened and tempered for added strength. Fully polished finish with knurled ring for extra grip with oily fingers.



Individual

Chrome plated and mirror finished. WallDrive® socket configuration.

Model No:	Size:	Depth:
S0648	10mm	Standard
S0649	11mm	Standard
S0650	12mm	Standard
S0651	13mm	Standard
S0652	14mm	Standard
S0653	15mm	Standard
S0654	16mm	Standard
S0655	17mm	Standard
S0656	18mm	Standard
S0657	19mm	Standard
S0658	21mm	Standard
S0659	22mm	Standard
S0660	23mm	Standard
S0661	24mm	Standard
S0662	26mm	Standard
S0663	27mm	Standard
S0664	30mm	Standard
S0665	32mm	Standard
S0666	10mm	Deep
S0667	11mm	Deep
S0668	12mm	Deep
S0669	13mm	Deep
S0670	14mm	Deep
S0671	15mm	Deep
S0672	16mm	Deep
S0673	17mm	Deep
S0674	18mm	Deep
S0675	19mm	Deep
S0676	21mm	Deep
S0677	22mm	Deep
S0678	23mm	Deep
S0679	24mm	Deep
S0680	26mm	Deep
S0681	27mm	Deep
S0682	30mm	Deep
S0683	32mm	Deep

C SP38MFS

3/8"Sq Drive **Multi-Fit Socket**

Chrome Vanadium body, oxidised Chrome Molybdenum pawl and adjustment mechanism. 19 Sizes covered in one socket making it ideal for any recovery tool kit. Smooth, fast and precise adjustment between sizes. Knurled ring for extra grip with oily fingers.

Drive:	3/8"Sq
Depth:	55mm
Size:	Variable 10-19mm(3/8"-3/4")







Deep





A SEE BELOW

1/4"Sq Drive Fully Polished Sockets

Cold-forged Chrome Vanadium steel sockets. Hardened and tempered for added strength. Chrome plated with a fully polished mirror finish. WallDrive® socket configuration. Knurled ring for extra grip with oily fingers.

Corniguration. Kri		p with only fingers.
Model No:	Size:	Depth:
SP1404	4mm	Standard
SP1405	5mm	Standard
SP14055	5.5mm	Standard
SP1406	6mm	Standard
SP1407	7mm	Standard
SP1408	8mm	Standard
SP1409	9mm	Standard
SP1410	10mm	Standard
SP1411	11mm	Standard
SP1412	12mm	Standard
SP1413	13mm	Standard
SP1414	14mm	Standard
SP1404D	4mm	Deep
SP1405D	5mm	Deep
SP14055D	5.5mm	Deep
SP1406D	6mm	Deep
SP1407D	7mm	Deep
SP1408D	8mm	Deep
SP1409D	9mm	Deep
SP1410D	10mm	Deep
SP1411D	11mm	Deep
SP1412D	12mm	Deep
SP1413D	13mm	Deep
SP1414D	14mm	Deep
		·

IMPACT SOCKETS

Drop-forged, 6-point, WallDrive® Impact Sockets. Hardened and tempered for added strength, with phosphate finish for greater corrosion resistance. Chrome Vanadium steel used on 3/8" and 1/2"Sq Drive. Chrome Molybdenum steel used on 3/4" and 1"Sq Drive. See pages 92 to 105 for the full range.





B SEE BELOW

3/8"Sq Drive Fully Polished Sockets

Cold-forged Chrome Vanadium steel sockets. Hardened and tempered for added strength. Chrome plated with a fully polished mirror finish. WallDrive® socket configuration. Knurled ring for extra grip with oily fingers.

Model No:	Size:	Depth:
SP3806	6mm	Standard
SP3807	7mm	Standard
SP3808	8mm	Standard
SP3809	9mm	Standard
SP3810	10mm	Standard
SP3811	11mm	Standard
SP3812	12mm	Standard
SP3813	13mm	Standard
SP3814	14mm	Standard
SP3815	15mm	Standard
SP3816	16mm	Standard
SP3817	17mm	Standard
SP3818	18mm	Standard
SP3819	19mm	Standard
SP3820	20mm	Standard
SP3821	21mm	Standard
SP3822	22mm	Standard
SP3824	24mm	Standard
SP3808D	8mm	Deep
SP3809D	9mm	Deep
SP3810D	10mm	Deep
SP3811D	11mm	Deep
SP3812D	12mm	Deep
SP3813D	13mm	Deep
SP3814D	14mm	Deep
SP3815D	15mm	Deep
SP3816D	16mm	Deep
SP3817D	17mm	Deep
SP3818D	18mm	Deep
SP3819D	19mm	Deep

D SEE BELOW

Spark Plug Sockets

Cold-forged Chrome Vanadium steel sockets. Hardened, tempered and chrome plated. Fully polished mirror finish with knurled ring. Socket insert grips ceramic insulation and assists in extraction of plug. Especially useful on deep-seated plugs. For other variations of individual Spark Plug Sockets, see page 480.

Model No:	Drive:	Depth:
S38SP10	3/8"Sq	16mm
S38SP14	3/8"Sq	21mm
S12SP10	1/2"Sq	16mm
S12SP14	1/2"Sq	21mm



C SEE BELOW

1/2"Sq Drive Fully Polished Sockets

Cold-forged Chrome Vanadium steel sockets. Hardened and tempered for added strength. Chrome plated with a fully polished mirror finish. WallDrive® socket configuration. Knurled ring for extra grip with oily fingers.

Model No:	Size:	Depth:
SP1208	8mm	Standard
SP1209	9mm	Standard
SP1210	10mm	Standard
SP1211	11mm	Standard
SP1212	12mm	Standard
SP1213	13mm	Standard
SP1214	14mm	Standard
SP1215	15mm	Standard
SP1216	16mm	Standard
SP1217	17mm	Standard
SP1218	18mm	Standard
SP1219	19mm	Standard
SP1220	20mm	Standard
SP1221	21mm	Standard
SP1222	22mm	Standard
SP1223	23mm	Standard
SP1224	24mm	Standard
SP1225	25mm	Standard
SP1226	26mm	Standard
SP1227	27mm	Standard
SP1228	28mm	Standard
SP1229	29mm	Standard
SP1230	30mm	Standard
SP1232	32mm	Standard
SP1211D	11mm	Deep
SP1212D	12mm	Deep
SP1213D	13mm	Deep
SP1214D	14mm	Deep
SP1215D	15mm	Deep
SP1216D	16mm	Deep
SP1217D	17mm	Deep
SP1218D	18mm	Deep
SP1219D	19mm	Deep
SP1221D	21mm	Deep
SP1222D	22mm	Deep
SP1224D	24mm	Deep
0	=	



Deep





A SEE BELOW

1/4"Sq Drive Sockets

Cold-forged Chrome Vanadium steel sockets. Hardened and tempered for added strength. Chrome plated in half chrome, half satin finish with knurled ring for extra grip with oily fingers. WallDrive® socket configuration.

Deep

Model No:	Size:	Depth:
S1404	4mm	Standard
S1405	5mm	Standard
S14055	5.5mm	Standard
S1406	6mm	Standard
S1407	7mm	Standard
S1408	8mm	Standard
S1409	9mm	Standard
S1410	10mm	Standard
S1411	11mm	Standard
S1412	12mm	Standard
S1413	13mm	Standard
S1414	14mm	Standard
S1404D	4mm	Deep
S1405D	5mm	Deep
S14055D	5.5mm	Deep
S1406D	6mm	Deep
S1407D	7mm	Deep
S1408D	8mm	Deep
S1409D	9mm	Deep
S1410D	10mm	Deep
S1411D	11mm	Deep
S1412D	12mm	Deep
S1413D	13mm	Deep
S1414D	14mm	Deep

D SEE BELOW

3/4"Sq Drive Sockets

Forged Chrome Vanadium steel sockets. Hardened and tempered for added strength. Chrome plated and mirror finished. 12-point WallDrive® socket configuration.

· ·		
Model No:	Size:	Depth:
S34/19	19mm	Standard
S34/22	22mm	Standard
S34/24	24mm	Standard
S34/26	26mm	Standard
S34/27	27mm	Standard
S34/29	29mm	Standard
S34/30	30mm	Standard
S34/32	32mm	Standard
S34/33	33mm	Standard
S34/36	36mm	Standard
S34/38	38mm	Standard
S34/41	41mm	Standard
S34/42	42mm	Standard
S34/46	46mm	Standard
S34/50	50mm	Standard
S34/55	55mm	Standard



B SEE BELOW

3/8"Sq Drive Sockets

Cold-forged Chrome Vanadium steel sockets. Hardened and tempered for added strength. Chrome plated in half chrome, half satin finish with knurled ring for extra grip with oily fingers. WallDrive® socket configuration.

Model No:	Size:	Depth:
S3806	6mm	Standard
S3807	7mm	Standard
S3808	8mm	Standard
S3809	9mm	Standard
S3810	10mm	Standard
S3811	11mm	Standard
S3812	12mm	Standard
S3813	13mm	Standard
S3814	14mm	Standard
S3815	15mm	Standard
S3816	16mm	Standard
S3817	17mm	Standard
S3818	18mm	Standard
S3819	19mm	Standard
S3820	20mm	Standard
S3821	21mm	Standard
S3822	22mm	Standard
S3824	24mm	Standard
S3808D	8mm	Deep
S3809D	9mm	Deep
S3810D	10mm	Deep
S3811D	11mm	Deep
S3812D	12mm	Deep
S3813D	13mm	Deep
S3814D	14mm	Deep
S3815D	15mm	Deep
S3816D	16mm	Deep
S3817D	17mm	Deep
S3818D	18mm	Deep
S3819D	19mm	Deep



Standard



C SEE BELOW

1/2"Sq Drive Sockets

Cold-forged Chrome Vanadium steel sockets. Hardened and tempered for added strength. Chrome plated in half chrome, half satin finish with knurled ring for extra grip with oily fingers. WallDrive® socket configuration.

Model No:	Size:	Depth:
S1208	8mm	Standard
S1209	9mm	Standard
S1210	10mm	Standard
S1211	11mm	Standard
S1212	12mm	Standard
S1213	13mm	Standard
S1214	14mm	Standard
S1215	15mm	Standard
S1216	16mm	Standard
S1217	17mm	Standard
S1218	18mm	Standard
S1219	19mm	Standard
S1220	20mm	Standard
S1221	21mm	Standard
S1222	22mm	Standard
S1223	23mm	Standard
S1224	24mm	Standard
S1225	25mm	Standard
S1226	26mm	Standard
S1227	27mm	Standard
S1228	28mm	Standard
S1229	29mm	Standard
S1230	30mm	Standard
S1232	32mm	Standard
S1210D	10mm	Deep
S1211D	11mm	Deep
S1212D	12mm	Deep
S1213D	13mm	Deep
S1214D	14mm	Deep
S1215D	15mm	Deep
S1216D	16mm	Deep
S1217D	17mm	Deep
S1218D	18mm	Deep
S1219D	19mm	Deep
S1221D	21mm	Deep
S1222D	22mm	Deep
S1224D	24mm	Deep

Premier

Our top-of-the-range hand tools suitable for the professional user. Designed and manufactured from the highest quality components, these tools are made to last a lifetime*.

SEALEY

A-O 1/4"Sq Drive Socket Sets

Chrome Vanadium steel socket sets in carefully selected sizes. Hardened and tempered with chrome finish for corrosion resistance. All sockets include WallDrive® configuration giving an additional 30% more torque handling power than traditional sockets. Handles rounded fixings as well. Sets supplied on socket rail and backed by a lifetime guarantee*.



Type:	1/4''Sq Drive - Metric
Configuration:	6-point Lock-On™Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



Type:	1/4"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



Type:	1/4"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Standard
Quantity of Sockets:	12
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, Socket Rail



Type:	1/4"Sq Drive - Imperial
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	11
Contents: 1/2" 9/16" Socket Bail	5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16",



Type:	1/4"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



Type:	1/4"Sq Drive - Metric
Configuration:	12-point Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



Type:	1/4"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Standard
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



OR OF AN ANDREW	
Type:	1/4"Sq Drive - Imperial
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	11
Contents: 1/2", 9/16", Socket Rail	5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16",





 Type:
 1/4"Sq Drive - Metric

 Configuration:
 6-point Socket

 Depth:
 Deep

 Quantity of Sockets:
 13

 Contents:
 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



Type:		1/4"Sq Drive - Imperial
Configuration	on:	6-point Socket
Depth:		Deep
Quantity of	Sockets:	9
Contents:	5/32" 3/16" 7/3	2" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" Socket Bail



Type:	1/4"Sq Drive - Metric
Configuration:	6-point Lock-On™ Socket
Depth:	Deep
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



O AK2872D

_	
Type:	1/4"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Deep
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



Type:	1/4"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Deep
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



Type:	1/4"Sq Drive - Imperial
Configuration:	6-point Socket
Depth:	Deep
Quantity of Sockets	: 11
Contents: 9/16". Socket Bail	5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2",



N AK282D

Type:	1/4"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Deep
Quantity of Sockets:	12
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, Socket Rail



5pc 1/4"Sq Drive Wobble Extension Bar Set

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Cut-away tips allow sockets to be driven with shaft offset of 10°. Deep knurling on shafts allows extra grip when spinning off fixings. Spring-ball socket retainers.

Drive:	1/4"Sq
Lengths:	50, 75, 100, 150, 225mm



A-P 3/8"Sq Drive Socket Sets

Chrome Vanadium steel socket sets in carefully selected sizes. Hardened and tempered with chrome finish for corrosion resistance. All sockets include WallDrive® configuration giving an additional 30% more torque handling power than traditional sockets. Handles rounded fixings as well. Sets supplied on socket rail and backed by a lifetime guarantee*.



A AK2693

Type:	3/8"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



C AK7992

Type:	3/8"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



E AK285

Type:	3/8"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Standard
Quantity of Sockets:	10
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



G AK2761

Type:		3/8"Sq Drive - Imperial
Configuration	1:	6-point Socket
Depth:		Standard
Quantity of So	ockets:	9
Contents:	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4	4", 13/16", 15/16", Socket Rail



Type:	3/8"Sq Drive - Metric
Configuration:	12-point Socket
Depth:	Standard
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



D AK2660

Type:	3/8"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



Type: 3/8"Sq Drive - Imperial Configuration: 12-point Socket Depth: Standard Quantity of Sockets: 11 Contents: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", Socket Rail



AK2676

Type:	3/8"Sq Drive - Whitworth
Configuration:	12-point Socket
Depth:	Standard
Quantity of Sockets:	7
Contents:	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", Socket Rail





 Type:
 3/8"Sq Drive - Metric

 Configuration:
 6-point Socket

 Depth:
 Deep

 Quantity of Sockets:
 12

 Contents:
 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



K AK285D

Type:	3/8"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Deep
Quantity of Sockets:	10
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



_	
Type:	3/8"Sq Drive - Imperial
Configuration:	12-point Socket
Depth:	Deep
Quantity of Sockets:	11
Contents:	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8",
15/16", Socket Rail	



Type:	3/8"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Deep
Quantity of Sockets:	12
Contents:	8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19mm, Socket Rail



Type:	3/8"Sq Drive - Metric
Configuration:	12-point Socket
Depth:	Deep
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



L AK2831

Type:	3/8"Sq Drive - Imperial
Configuration:	6-point Socket
Depth:	Deep
Quantity of Sockets:	8
Contents:	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", Socket Rail



N AK2678

Type:	3/8"Sq Drive - Whitworth
Configuration:	12-point Socket
Depth:	Deep
Quantity of Sockets:	7
Contents:	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", Socket Rail



_	
	A 1/0740
12	ΔK2/10

Type:	3/8"Sq Drive - Metric
Configuration:	6-point Universal Joint
Depth:	Standard
Quantity of Sockets:	10
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail







Our 6-point and 12-point WallDrive® sockets are designed to grip the flats of the fixing and not the corners. This allows up to 30% more torque to be applied than traditional hex sockets, without causing damage. WallDrive® sockets can grip fasteners with rounded off and damaged corners too.

Cold-forged Chrome Vanadium steel sockets, hardened and tempered for added strength. Half chrome and half satin finish with knurled ring for extra grip with oily fingers.

MIRROR **FINISH**

Cold-forged Chrome Vanadium steel sockets, hardened and tempered for added strength. Fully polished finish with knurled ring for extra grip with oily fingers.

A AK7994

A NEW

Type:	1/2"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



C AK2684

Type:	1/2"Sq Drive - Metric
Configuration:	12-point Socket
Depth:	Standard
Quantity of Sockets:	12
Contents:	10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



Type:	1/2"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Standard
Quantity of Sockets:	10
Contents:	13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



G AK26/4	4	3d Dilve
Type:		1/2"Sq Drive - Imperial
Configurati	on:	12-point Socket
Depth:		Standard
Quantity of	Sockets:	13
Contents:	3/8", 7/16", 1/2", 9/16", 5/8'	', 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16",
1-1/8", Socke	et Rail	

A-O 1/2"Sq Drive Socket Sets

Chrome Vanadium steel socket sets in carefully selected sizes. Hardened and tempered with chrome finish for corrosion resistance. All sockets include WallDrive® configuration giving an additional 30% more torque handling power than traditional sockets. Handles rounded fixings as well. Sets supplied on socket rail and backed by a lifetime guarantee*.



B AK2695

Type:	1/2"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	12
Contents:	10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



D AK2661

Type:	1/2"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



Type:	1/2"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Standard
Quantity of Sockets:	15

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail Contents:





Type: 1/2"Sq Drive - Whitworth Configuration: 12-point Socket Depth: Standard **Quantity of Sockets:**

1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", Socket Rail Contents:



Type:	1/2"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Deep
Quantity of Sockets:	12
Contents:	10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



Type:	1/2"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Deep
Quantity of Sockets:	10
Contents:	13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



Type:	1/2"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Deep
Quantity of Sockets:	12
Contents:	10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



Type:	1/2"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Deep
Quantity of Sockets:	13
Contents:	10 11 12 13 14 15 16 17 18 19 21 22 24mm Socket Bail



K AK2685

Type:	1/2"Sq Drive - Metric
Configuration:	12-point Socket
Depth:	Deep
Quantity of Sockets:	12
Contents:	10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



Type:	1/2"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Deep
Quantity of Socke	ts: 15
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



O AK2679

Type:		1/2"Sq Drive - Whitworth
Configuration:		12-point Socket
Depth:		Deep
Quantity of Socke	ets:	9
Contents:	1/8", 3/16", 1/4", 5/16", 3/8", 7/16	', 1/2", 9/16", 5/8", Socket Rail





B AK2675

В

Type:		1/2"Sq Drive - Imperial
Configuration	on:	12-point Socket
Depth:		Deep
Quantity of	Sockets:	13
Contents:	3/8", 7/16", 1/2", 9/16", 5/8", 1	1/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16",
1-1/8", Socket Rail		

Premier

A AK2861

Type:				1/2"Sq Driv	/e - Imperial
Configuration:				6-p	oint Socket
Depth:					Deep
Quantity of Sockets:					8
Contents:	1/2" 9/16" !	5/8" 11/16"	3/4" 13/16"	7/8" 15/16"	Socket Rail



Socket SetsChrome Vanadium steel socket sets, hardened and tempered for strength with a fully polished finish for corrosion resistance. 72-Tooth pear-head flip reverse ratchet wrench with quick socket release and comfort grip handle. Knurled ring on sockets for extra grip with greasy fingers. Supplied on storage/carry rack.

	C	D	E
Model No:	S01240	S01242	S01244
Drive:	1/4"Sq Drive	3/8"Sq Drive	1/2"Sq Drive
Contents:	Sockets; 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm,	Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm,	Sockets; 10, 13, 14, 15, 16, 17, 18, 19, 21, 24mm,
	1/4"Sq Drive Flip Reverse Ratchet Wrench,	3/8"Sq Drive Flip Reverse Ratchet Wrench,	1/2"Sq Drive Flip Reverse Ratchet Wrench,
	75mm Extension Bar	150mm Extension Bar	125mm Extension Bar



Model No:	S01241	S01243	S01245
Drive:	1/4"Sq Drive	3/8"Sq Drive	1/2"Sq Drive
Contents:	Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, Socket Bits;	Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17,	Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21,
	Slotted - 4, 5, 7mm, Phillips - #1, #2, TRX-Star* - T10, T15, T20,	18, 19, 20, 21, 22, 24mm, 3/8"Sq Drive	22, 24, 27, 30, 32mm, 1/2"Sq Drive
	T25, T30, Hex - 3, 4, 5, 6mm, 1/4"Sq Drive	Flip Reverse Ratchet Wrench	Flip Reverse Ratchet Wrench
	Flip Reverse Ratchet Wrench		



A-F SEE BELOW

Total Drive® Socket Sets

Chrome Vanadium steel Total Drive® sockets, hardened and heat treated for strength with a fully polished mirror finish for resistance to corrosion. Can be used on a wide range of fasteners. All are suitable for Spline, Metric Hex and Bi-Hex, with many also equivalent to TRX-Star*, Whitworth, Imperial Hex and Imperial Bi-Hex. Knurled ring for extra grip with greasy fingers. Supplied on rail.

Total Drive	6pt	12pt	AF	E-TRX*	Spline	ww
4mm	~	~	5/32"	E5	M4	-
4.5mm	V	V	-	E6	-	-
5mm	V	~	3/16"	E7	M5	-
5.5mm	V	~	-	-	-	-
6mm	V	V	-	E8	M6	-
7mm	V	/	9/32"	-	M7	-
8mm	V	V	5/16"	E10	M8	-
9mm	~	V	11/32"	-	М9	1/8"
10mm	V	~	3/8"	E12	M10	-
11mm	V	*	7/16"	E14	M11	-
12mm	V	/	15/32"	E16	M12	3/16"
13mm	V	/	1/2"	-	-	-
14mm	V	~	9/16"	E18	M14	1/4"
15mm	V	/	19/32"	-	-	-
16mm	/	~	5/8"	E20	M16	5/16"
17mm	*	V	-	-	-	-
18mm	~	~	-	E22	M18	-
19mm	V	*	3/4"	E24	-	3/8"
20mm	*	*	25/32"	-	_	-
21mm	V	~	-	-	-	7/16"
22mm	V	V	7/8"	-	M22	-
24mm	/	V	15/16"	-	M24	1/2"

A AK69813

Depth:		Standard
Drive:		1/4"Sq
Quantity of S	ockets:	13
Contents	44555567	' 8 9 10 11 12 13 14mm

B AK69813D

Depth:		Deep
Drive:		1/4"Sq
Quantity of S	ockets:	13
Contents:	4 4 5 5 5 5 6 7 8 9 10	11. 12. 13. 14mm

C AK69911

Depth:		Standard
Drive:		3/8"Sq
Quantity of Soc	kets:	11
Contents:	10, 11, 12, 13, 14, 15, 16,	17, 18, 19, 22mm

D AK69910D

Depth:	Deep
Drive:	3/8"Sq
Quantity of Sockets:	10
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

E AK70612

Depth:		Standard
Drive:		1/2"Sq
Quantity of S	ockets:	12
Contents:	10 12 13 14 15 16 1	17 18 19 21 22 24mm

E AK70610D

Depth:	Deep
Type:	1/2"Sq
Quantity of sockets:	10
Contents:	13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm

Our Total Drive® Sockets can be used on a wide range of fasteners. All are suitable for Spline, Metric Hex and Bi-Hex and many are equivalent to TRX-Star*, Whitworth, Imperial Hex and Imperial Bi-Hex.













Imperial Hex



Metric Hex



Imperial Bi-Hex



Metric Bi-Hex



TRX-Star*



Whitworth









LIFETIME

All Premier and Siegen Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects. See www.sealey.co.uk for full details.





A-F SEE BELOW

Socket Sets - Black Series

Manufactured from hardened and tempered high grade Chrome Vanadium steel. Fully polished black chrome finish for resistance to corrosion. Includes knurled ring for extra grip with oily fingers. Supplied on socket rail.



Type:	1/4"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	4, 4, 5, 5, 5, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



Type:	3/8"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



E AK7994

Type:	1/2"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



A AK7991

Type:	1/4"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Deep
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



C AK7993

Type:	3/8"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Deep
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



E AK7995

Type:	1/2"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Deep
Quantity of Sockets:	13
Contents:	10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 21. 22. 24mm. Socket Rail



Model No:	Drive:	Ratchet:	Length:
AK7997	1/4"Sq	72-Tooth	140mm
AK7998	3/8"Sq	72-Tooth	200mm
AK7999	1/2"Sq	72-Tooth	265mm





A AK7973

13pc 3/8"Sq Drive Total Drive® Socket Set - Black Series

Professional Total Drive® socket set. Manufactured from hardened and tempered heat treated Chrome Vanadium steel. Fully polished black chrome finish with machined and lacquered surfaces. Can be used on a wide range of fasteners. All are suitable for Spline, Metric Hex and Bi-Hex, with many also equivalent to TRX-Star*, Whitworth, Imperial Hex and Imperial Bi-Hex. Knurled ring for extra grip with greasy fingers. Features 72-tooth flip reverse ratchet wrench with push-button quick release. Supplied on composite socket retaining rail.

Depth:		Standard
Drive:		3/8"Sq
Quantity of Soc	ckets:	12
Contents	8 9 10 11 12 13 14 15 16 17 1	8 10mm 3/8"Sa Drive 72-Tooth

Contents: Ratchet Wrench





C AK7971

34pc 3/8"Sq Drive Socket Set - Black Series

Professional socket set with heat treated Chrome Vanadium steel sockets and accessories. Fully polished black chrome finish with machined and lacquered surfaces. Standard sockets cover sizes from 6 to 24mm and deep sockets from 10 to 19mm. Features 72-tooth flip reverse ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and T-bar adaptor. Includes contents map displayed inside the lid. Supplied in metal storage case.

Contents: Standard Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 150mm, 3/8"Sq Drive 72-Tooth Flip Reverse Ratchet Wrench with Quick Release, Universal Joint, 1/2"Sq Drive - 3/8"Sq Drive Male Adaptor























B AK7970

32pc 1/4"Sq Drive Socket Set - Black Series

Professional socket set with heat treated Chrome Vanadium steel sockets and accessories. Fully polished black chrome finish with machined and lacquered surfaces. Standard and deep sockets cover sizes from 4 to 14mm. Features 72-tooth flip reverse ratchet wrench with push-button quick release, extension bars, universal joint and T-bar adaptor. Includes contents map displayed inside the lid. Supplied in metal storage case.

Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, Contents: 14mm, Deep Sockets; 4, 4.5, 5, 5, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Extension Bars; 75, 150mm, 1/4"Sq Drive 72-Tooth Flip Reverse Ratchet Wrench with Quick Release, Universal Joint, Spinner Handle, 3/8"Sq Drive - 1/4"Sq Drive Male T-Bar Adaptor













D AK7972

28pc 1/2"Sq Drive Socket Set - Black Series

Professional socket set with heat treated Chrome Vanadium steel sockets and accessories. Fully polished black chrome finish with machined and lacquered surfaces. Covers sizes from 8 to 32mm. Features 72-tooth flip reverse ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and T-bar adaptor. Includes contents map displayed inside the lid. Supplied in metal storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 125, 250mm, 1/2"Sg Drive 72-Tooth Flip Reverse Ratchet Wrench with Quick Release, Universal Joint, 1/2"Sq Drive - 3/8"Sq Drive Male T-Bar Adaptor

E AK7985

22pc 3/8"Sq Drive TRX-Star*/Hex/Spline Socket Bit Set **Black Series**

Professional heat treated Chrome Vanadium steel sockets. Fully polished black chrome finish with machined and lacquered surfaces. S2 Steel TRX-Star*, Hex and Spline bits with a phosphate finish. Knurled ring to assist gripping of socket with oily fingers. Supplied in an EVA storage tray.

Contents: Socket Bits; Spline - M4, M5, M6, M8, M10, M12, TRX-Star* - T10, T15, T20, T25, T27, T30, T40, T45, T47, T50, Hex - 4, 5, 6, 7, 8, 10







C AK2740

 Type:
 3/8"Sq Drive - Imperial

 Configuration:
 6-point Lock-On™ Socket

 Depth:
 Standard

 Quantity of Sockets:
 11

 Contents:
 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16",

 Socket Rail
 11



I AK2742

 Type:
 1/2"Sq Drive - Metric

 Configuration:
 6-point Lock-On™ Socket

 Depth:
 Standard

 Quantity of Sockets:
 13

 Contents:
 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



Type:1/4"Sq Drive - MetricConfiguration:6-point Lock-On™ SocketDepth:StandardQuantity of Sockets:13Contents:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm, Socket Rail



Type:3/8"Sq Drive - MetricConfiguration:6-point Lock-On™ SocketDepth:StandardQuantity of Sockets:12Contents:8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



Type:3/8"Sq Drive - MetricConfiguration:6-point Lock-On™ SocketDepth:StandardQuantity of Sockets:12Contents:8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



Type:	1/2"Sq Drive - Metric
Configuration:	6-point Lock-On™Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail.





A AK2747

Type:	1/4"Sq Drive - Metric
Configuration:	6-point Lock-On™Socket
Depth:	Deep
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



C AK2744

Type:	3/8"Sq Drive - Metric
Configuration:	6-point Lock-On™Socket
Depth:	Deep
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



E AK2745

Type:	1/2"Sq Drive - Metric
Configuration:	6-point Lock-On™Socket
Depth:	Deep
Quantity of Sockets:	13
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



B AK2743

Type:		3/8"Sq Drive - Imperial
Configuration	:	6-point Lock-On™Socket
Depth:		Deep
Quantity of So	ockets:	11
Contents:	5/16", 3/8", 7/16", 1/2", 9/	16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16",
Socket Rail		



D AK2744B

Type:	3/8"Sq Drive - Metric
Configuration:	6-point Lock-On™Socket
Depth:	Deep
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



E AK2745B

Type:	1/2"Sq Drive - Metric
Configuration:	6-point Lock-On™ Socket
Depth:	Deep
Quantity of Sockets:	13
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail





Features specially machined flutes in the walls of the ring end which enable use on up to 85% rounded fasteners. This not only provides added strength but also prevents further damage to worn or rusted fixings.



A AK27480

32pc 1/4"Sq Drive Lock-On™ Socket Set

Heat treated, drop-forged Chrome Vanadium 6142 steel sockets and accessories with a fully polished mirror finish. Features specially machined flutes in the walls of the socket which enable use on up to 85% rounded fasteners. This not only provides added strength but also prevents damage to worn or rusted fixings. Covers sizes from 4 to 14mm in both standard and deep. Features 48-tooth gear-to-gear flip reverse comfort grip ratchet wrench with push-button quick release, extension bars, spinner handle, universal joint and 3/8"Sq Drive - 1/4"Sq Drive Male Adaptor. Includes contents map displayed inside the lid. Supplied in metal storage case.

LOCK-ON" Premier

LOCK-ON" Premier

Contents: Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Deep Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Extension Bars; 75, 150mm, 1/4"Sq Drive 48-tooth Gear-to-Gear Flip Reverse Ratchet Wrench, Spinner Handle, Universal Joint, 3/8"Sq Drive - 1/4"Sq Drive Male Adaptor



C AK27482

26pc 1/2"Sq Drive Lock-On™ Socket Set

Heat treated, drop-forged Chrome Vanadium 6142 steel sockets and accessories with a fully polished mirror finish. Features specially machined flutes in the walls of the socket which enable use on up to 85% rounded fasteners. This not only provides added strength but also prevents damage to worn or rusted fixings. Covers sizes from 8 to 32mm. Features 48-tooth gear-to-gear flip reverse comfort grip ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and 3/8"Sq Drive - 1/2"Sq Drive Male Adaptor. Includes contents map displayed inside the lid. Supplied in metal storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, 1/2"Sq Drive Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 125, 250mm, 1/2"Sq Drive 48-Tooth Gear-to-Gear Flip Reverse Ratchet Wrench, Universal Joint, 3/8"Sq Drive - 1/2"Sq Drive Male Adaptor













B AK27481

В

34pc 3/8"Sq Drive Lock-On™ Socket Set

Heat treated, drop-forged Chrome Vanadium 6142 steel sockets and accessories with a fully polished mirror finish. Features specially machined flutes in the walls of the socket which enable use on up to 85% rounded fasteners. This not only provides added strength but also prevents damage to worn or rusted fixings. Standard sockets cover sizes from 6 to 24mm and deep sockets from 10 to 19mm. Features 48-tooth gear-to-gear flip reverse comfort grip ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and 1/2"Sq Drive - 3/8"Sq Drive Male Adaptor. Includes contents map displayed inside the lid. Supplied in metal storage case.

Contents: Standard Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 3/8"Sq Drive Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 150mm, 3/8"Sq Drive 48-Tooth Gear-to-Gear Flip Reverse Ratchet Wrench, Universal Joint, 1/2"Sq Drive - 3/8"Sq Drive Male Adaptor











D AK5616M

13pc 1/2"Sq Drive Lock-On™ Impact Socket Set

Manufactured from Chrome Molybdenum steel with manganese phosphate finish for added corrosion resistance. Features specially machined flutes in the walls of the socket to enable use on up to 85% rounded fasteners. This not only provides added strength but also prevents damage to worn or rusted fixings. Suitable for use with air/electric impact guns. Supplied in storage case.

Quantity of Sockets:	13
Type:	1/2"Sq Drive - Standard
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm





27pc 1/4"Sq Drive Ratchet Wrench &

Deluxe professional socket set with standard and deep

heat treated mirror polished Chrome Vanadium sockets.

Slim style contoured handle 72-tooth ratchet wrench

with flip reverse and quick release mechanism. Supplied

6, 7, 8, 9, 10, 11, 12, 13, 14mm, Deep Sockets - 4, 4.5, 5,

5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 1/4"Sq Drive 72-Tooth



A AK66721

Socket Set

in EVA storage tray.

Ratchet Wrench

Contents:



Standard Sockets - 4, 4.5, 5, 5.5,







Premier

В

25pc 3/8"Sq Drive Ratchet Wrench & Socket Set

Deluxe professional socket set with standard and deep heat treated mirror polished Chrome Vanadium sockets. Slim style contoured handle 72-tooth ratchet wrench with flip reverse and quick release mechanism. Supplied in EVA storage tray.

Contents: Standard Sockets - 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Deep Sockets - 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 3/8"Sq Drive 72-Tooth Ratchet Wrench













27pc 1/2"Sq Drive Ratchet Wrench & Socket Set

Deluxe professional socket set with standard and deep heat treated mirror polished Chrome Vanadium sockets. Slim style contoured handle 72-tooth ratchet wrench with flip reverse and guick release mechanism. Supplied in EVA storage tray.

Contents: Standard Sockets - 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Deep Sockets - 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, 1/2"Sq Drive 72-Tooth Ratchet Wrench




D TBTP07

177pc Specialised Bit & Socket Set with Tool Tray

Comprehensive range of Premier Platinum Tool Trays from Sealey. Suitable for AP24 Series and selected Superline PRO® Series Tool Chests. The tools have been carefully selected for the professional technician from our Premier Line range and are backed with a lifetime guarantee*.

TRX-Star* Bits; T20, T25, T30, T40, T45, T47, T50, T55, T60, T70 (1each 30 & 75mm), Security TRX-Star* Bits; T20H, T25H, T30H, T40H, T45H, T47H, T50H, T55H, T60H, T70H (1each 30 & 75mm), Hex Bits; 4, 5, 6, 7, 8, 10, 12, 14, 17, 19mm (1 each 30 & 75mm), Ribe Bits; M5, M6, M7, M8, M9, M10, M12, M13, M14, M16 (1 each 30 & 75mm), Spline Bits; M5, M6, M8, M10, M12, M14, M16 (1 each 30 & 75mm), Quick Release Drive Adaptors; 3/8"Sq x 10mm Hex, 1/2"Sq x 10mm Hex, TRX-Star* Sockets; 1/4"Sq Drive - E4, E5, E6, E7, E8, 3/8"Sq Drive - E10, E11, E12, E14, 1/2"Sq Drive - E16, E18, E20, E22, E24, TRX-Star* Socket Bits; 1/4"Drive - T8, T9, T10, T15, T20, T25, T27, T30, 3/8"Drive - T40, T45, T47, T50, T55, 1/2"Drive - T60, T70, Hex Socket Bits; 1/4"Drive - 3, 4, 5, 6, 7, 8mm, Hex Socket Bits; 3/8"Drive - 9, 10, 12, 14mm, Hex Socket Bits; 1/2"Drive - 17, 19mm, Driver Socket Bits; 1/4"Drive - Slotted; 3, 4, 4.5, 5, 5.5, 6, 6.5, 7mm, Phillips; #0, #1, #2, #3, Pozi; #0, #1, #2, #3, TRX-Star* Hex Keys; T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, Ball-End Hex; 1.27, 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm

Tray Size (W x D x H): 530 x 397 x 55mm



1/4", 3/8" & 1/2" Sq Drive



I TBTP02

91pc 1/4", 3/8" & 1/2"Sq Drive Socket Set with Tool Tray

1/4"Sq Drive Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, Contents: 1/4"Sq Drive Deep Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 3/8"Sq Drive Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 3/8"Sq Drive Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 1/2"Sq Drive Sockets; 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 32mm, 1/2"Sq Drive Deep Sockets; 17, 18, 19, 21, 22, 24, 27, 30, 32mm, 3/8"Sq Drive Spark Plug Sockets; 14, 16, 21mm, 1/4"Sq Drive Flip Reverse Ratchet Wrench, 3/8"Sq Drive Flip Reverse Ratchet Wrench, 1/2"Sq Drive Flip Reverse Ratchet Wrench, Universal Joints; 1/4", 3/8", 1/2"Sq Drive, 1/4"Sq Drive Extension Bars; 50, 100, 150mm, 150mm Flexible Extension, Spinner Handle, 115mm Sliding T-Bar, 3/8"Sq Drive Extension Bars; 75, 150mm, 1/2"Sq Drive Extension Bars; 75, 200mm, 450mm 1/2"Sq Drive Breaker Bar, 1/2"(F)-3/8"(M) Sliding T-Bar Adaptor

Tray Size (W x D x H): 530 x 397 x 55mm





A AK5783

15pc 1/4"Sq Drive Low Profile Socket Set - Platinum Series

Manufactured from hardened and tempered Chrome Vanadium steel with a micro satin finish. Low profile 6-point WallDrive® sockets. Low profile 90-tooth pear-head ratchet with super slim handle. Features flip reverse and guick release mechanism. Ideal for areas where access is limited, such as dash-mounted heater motors, auxiliary belts and solenoid door motors. Supplied in an EVA storage tray.

Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 75mm Extension Bar, 1/4" Sq Drive 90-Tooth Pear-Head Ratchet with Flip Reverse and Quick Release Mechanism



C AK5787

15pc 1/2"Sq Drive Low Profile Socket Set - Platinum Series

Manufactured from hardened and tempered Chrome Vanadium steel with a micro satin finish. Low profile 6-point WallDrive® sockets. Low profile 90-tooth pear-head ratchet with super slim handle. Features flip reverse and quick release mechanism. Ideal for use under dashboards and on auxiliary belts as well as any other applications where access is restricted. Supplied in an EVA storage tray.

Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, 150mm Extension Bar, 1/2"Sq Drive 90-Tooth Pear-Head Ratchet with Flip Reverse and Quick Release Mechanism



37pc 1/4" & 3/8"Sa Drive Socket Set

High grade carbon steel sockets and accessories. Hardened and tempered with a fully polished mirror finish for corrosion resistance. Supplied in storage case.

1/4"Sq Drive; Standard Sockets - 4, 4.5, 5, 6, 7, 8, 9mm, 3/8"Sq Drive; Standard Sockets - 10, 11, 12, 13, 14, 15, 17, 19mm, Extension Bars; 75, 150mm, 21mm Spark Plug Socket, Bits; Slotted - 4, 5.5, 7mm, Phillips - #1, #2, #3, Hex - 3, 4, 5, 6, 7, 8mm, Hex Key Wrenches; 1.5, 2, 2.5mm, Spinner Handle, 1/4" x 1/4"Sq Drive Bit Holder, 3/8"Sq Drive Female x 1/4"Sq Drive Male Adaptor, 200mm 3/8"Sq Drive Reversible Ratchet Wrench, Spinner Disc for Ratchet



B AK5785

14pc 3/8"Sq Drive Low Profile Socket Set - Platinum Series

Manufactured from hardened and tempered Chrome Vanadium steel with a micro satin finish. Low profile 6-point WallDrive® sockets. Low profile 90-tooth pear-head ratchet with super slim handle. Features flip reverse and guick release mechanism. Ideal for areas where access is limited, such as dash-mounted heater motors, auxiliary belts and solenoid door motors. Supplied in an EVA storage tray.

Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 75mm Contents: Extension Bar, 3/8"Sq Drive 90-Tooth Pear-Head Ratchet with Flip Reverse and Quick Release Mechanism



14pc Low Profile Go-Through Socket Set

Manufactured from hardened and tempered Chrome Vanadium steel with a fully polished micro satin finish. Low profile sockets with a projected length of just 13mm, ideal for use under dashboards and on auxiliary belts as well as any other application where access is restricted. Go-through design for nuts on extended studs and adjusting screw locknuts. Sockets range from 8-19mm. Includes go-through extension. Flip reverse, 72-tooth ratchet wrench with push-through socket release. Supplied in storage case.

Low Profile Go-Through Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 75mm Go-Through Extension Bar, 72-Tooth 3/4" Spline Drive Flip Reverse Ratchet Wrench



25pc 1/4"Sq Drive Socket Set

Professional socket set manufactured from hardened and heat treated Chrome Vanadium steel. Fully polished with a mirror finish. Covers sizes from 4 to 13mm. Includes 72-tooth comfort grip ratchet wrenches, extension bar, adaptor and bits. Supplied in tough, durable storage case.

Contents: 1/4"Sq Drive Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 1/4"Sq Drive Bits; TRX-Star* - T10, T15, T20, T25, T30, T40, Phillips - #1, #2, Hex - 5, 6mm, 100mm 1/4"Sq Drive Extension Bar, 1/4"Sq Drive Adaptor, 1/4"Sq Drive Ratchet Wrench





A S01234

26pc 1/4"Sq Drive Socket Set

Professional socket set manufactured from hardened and heat treated Chrome Vanadium steel. Fully polished with a mirror finish. Covers standard sizes from 4 to 14mm and deep sizes from 6 to 13mm. Includes 72-tooth comfort grip ratchet wrench, extension bars, universal joint and spinner handle. Supplied in tough, durable storage case.

Contents: 1/4"Sq Drive Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 1/4"Sq Drive Deep Sockets; 6, 7, 8, 9, 10, 11, 12, 13mm, 1/4"Sq Drive Extension Bars; 75, 150mm, 1/4"Sq Drive Universal Joint, 1/4"Sq Drive T2-tooth Quick Release Ratchet Wrench





C S01236

28pc 3/8"Sq Drive Socket Set

Professional socket set manufactured from hardened and heat treated Chrome Vanadium steel. Fully polished with a mirror finish. Covers standard sizes from 8 to 22mm and deep sizes 10 to 19mm. Includes 72-tooth comfort grip ratchet wrench, extension bars, universal joint and adaptor. Supplied in tough, durable storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 3/8"Sq Drive 72-tooth Quick Release Ratchet Wrench, Extension Bars; 75, 150mm, Universal Joint



B S01235

19pc 3/8"Sq Drive Socket Set

Professional socket set manufactured from hardened and heat treated Chrome Vanadium steel. Fully polished with a mirror finish. Covers sizes from 8 to 22mm. Includes 72-tooth comfort grip ratchet wrench, extension bars, universal joint and adaptor. Supplied in tough, durable storage case.

Contents: 3/8"Sq Drive Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm, 3/8"Sq Drive Extension Bars; 75, 150mm, 3/8"Sq Universal Joint, 3/8"Sq Drive Adaptor, 3/8"Sq Drive 72-tooth Quick Release Ratchet Wrench





D S01237

21pc 1/2"Sq Drive Socket Set

Professional socket set manufactured from hardened and heat treated Chrome Vanadium steel. Fully polished with a mirror finish. Covers sizes from 10 to 32mm. Includes 72-tooth comfort grip ratchet wrench, extension bars, universal joint and adaptor. Supplied in tough, durable storage case.

Contents: 1/2"Sq Drive Standard Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, 1/2"Sq Drive Extension Bars; 125, 250mm, 1/2"Sq Universal Joint, 1/2"Sq Drive Adaptor, 1/2"Sq Drive 72-tooth Quick Release Ratchet Wrench



Premier



Ratchet Wrenches

Gear-to-Gear ratchet head design is much stronger than traditional styles and offers up to 30% more torque.





WallDrive® sockets are designed to grip the flats of the fixing and not the corners. This allows up to 30% more torque to be applied to the fixing than traditional hex sockets, without causing damage. WallDrive® sockets can grip fasteners with rounded-off and damaged corners too.

Professional Socket Sets

Deluxe professional socket sets with heat treated Chrome Vanadium steel WallDrive® sockets. Fully polished mirror finish. Flip reverse ratchet with quick socket release. Supplied in storage case.








A AK8990

33pc 1/4"Sq Drive Socket Set



Contents:

Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12,

13, 14mm, Deep Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Extension Bars; 50, 100, 150mm, Sliding T-Bar, 1/4"Sq Drive 48-Tooth Gear-to-Gear Quick Release Ratchet Wrench, Spinner Handle, Universal Joint





34pc 3/8"Sq Drive Socket Set

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Standard sockets cover sizes from 6 to 24mm and deep sockets from 10 to 19mm. Features 48-tooth gear-to-gear comfort grip ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and 1/2"Sq Drive - 3/8"Sq Drive Male Adaptor. Includes contents map displayed inside the lid. Supplied in storage case.

Contents:Standard Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 150mm, 3/8"Sq Drive 48-Tooth Gear-to-Gear Quick Release Ratchet Wrench, Universal Joint, 1/2"Sq Drive - 3/8"Sq Drive Male Adaptor







C AK8992

Premier

26pc 1/2"Sq Drive Socket Set

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Covers sizes from 8 to 32mm. Features 48-tooth gear-to-gear comfort grip ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and 3/8"Sq Drive - 1/2"Sq Drive Male Adaptor. Includes contents map displayed inside the lid. Supplied in storage case.

Contents:

Standard Sockets; 8, 9, 10, 11, 12, 13, 14,

15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 125, 250mm, 1/2"Sq Drive 48-Tooth Gear-to-Gear Quick Release Ratchet Wrench, Universal Joint, 3/8"Sq Drive - 1/2"Sq Drive Male Adaptor





A AK8993

41pc 1/2"Sq Drive Socket Set

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Standard sockets cover sizes from 8-32mm and deep sockets from 8-24mm. Features 48-tooth gear-to-gear comfort grip ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and 3/8"Sq Drive - 1/2"Sq Drive Male Adaptor. Supplied in storage case.

Contents:

Standard Sockets;

Premier

Premier

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, Deep Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 125, 250mm, 1/2"Sq Drive 48-Tooth Gear-to-Gear Quick Release Ratchet Wrench, Universal Joint, 3/8"Sq Drive - 1/2"Sq Drive Male Adaptor



C TBT35

26pc 1/2"Sq Drive Socket Set with Tool Tray

Tool Tray with 1/2"Sq Drive Socket Set. Suitable for AP24 Series and selected Superline PRO® and Premier tool chests.

Contents: Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm, 1/2"Sq Drive Flip Reverse Ratchet Wrench with Comfort Grip, Extension Bars; 75, 200mm, Spark Plug Sockets; 16, 21mm

Tray Size (W x D x H): 176.5 x 397 x 55mm



B AK7960

34pc 3/8"Sq Drive Socket Set

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Standard sockets cover sizes from 6 to 24mm and deep sockets from 10 to 19mm. Features 72-tooth extending ratchet with comfort grip and push-button quick release, extension bars, spark plug sockets, universal joint and T-bar adaptor. Includes contents map displayed inside the lid. Supplied in storage case.

Contents: Standard Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 150mm, 3/8"Sq Drive 72-Tooth Quick Release Extending Ratchet Wrench, Universal Joint, 1/2"Sq Drive - 3/8"Sq Drive Male Adaptor



D AK7961

26pc 1/2"Sq Drive Socket Set

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Covers sizes from 8 to 32mm. Features 72-tooth extending ratchet with comfort grip and push-button quick release, extension bars, spark plug sockets, universal joint and T-bar adaptor. Includes contents map displayed inside the lid. Supplied in storage case.

Premier

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 125, 250mm, 1/2"Sq Drive 72-Tooth Quick Release Extending Ratchet Wrench, Universal Joint, 3/8"Sq Drive - 1/2"Sq Drive Male Adaptor





Ratchet Wrenches

Gear-to-Gear ratchet head design is much stronger than traditional styles and offers up to 30% more torque.





WallDrive® sockets are designed to grip the flats of the fixing and not the corners. This allows up to 30% more torque to be applied to the fixing than traditional hex sockets, without causing damage. WallDrive® sockets can grip fasteners with rounded-off and damaged corners too.

A-H Professional Socket Sets

Deluxe professional socket sets with heat treated Chrome Vanadium steel WallDrive® sockets. Dual satin/chrome or fully polished mirror finish. Flip reverse ratchet with quick socket release. Supplied in metal storage case.











35pc 3/8"Sq Drive Socket Set - Metric/Imperial

Deluxe professional socket set with heat treated Chrome Vanadium steel WallDrive® sockets. Dual satin/chrome finish. Flip reverse gear-to-gear ratchet with quick socket release. Supplied in metal storage case.

Standard Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm, 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 3/8"Sq Drive 48-Tooth Gear-to-Gear Quick Release Ratchet Wrench, Extension Bars; 75, 150, 225mm, Universal Joint, 16mm Spark Plug Socket, Extension Adaptors; 1/2"(F)-3/8"(M), 3/8"(F)-1/4"(M), 3/8"(F)-1/2"(M)













D SEE BELOW

Ratchet Wrenches - Flip Reverse

Chrome Vanadium steel gear-to-gear 48-tooth ratchet wrenches. Hardened and tempered with a fully polished mirror finish. Slim style contoured handle with pear-head design. Features flip reverse and quick release mechanism.

Model No	Drive:	Ratchet:	Length:	Repair Kit:
AK660	1/4"Sq	48-Tooth	140mm	AK660.V2.RK
AK661	3/8"Sq	48-Tooth	200mm	AK661.V2.RK
AK662	1/2"Sq	48-Tooth	265mm	AK662.V2.RK











A AK690

41pc 1/4"Sq Drive Socket Set - Metric/Imperial

Deluxe professional socket set with heat treated Chrome Vanadium steel WallDrive® sockets. Fully polished mirror finish. Flip reverse gear-to-gear ratchet with quick socket release. Supplied in metal storage case.

Contents: Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 3/16", 1/4", 9/32", 11/32", 3/8", 1/2", Deep Sockets; 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 3/16", 1/4", 3/8", 1/2", 1/4"Sq Drive 48-Tooth Gear-to-Gear Quick Release Ratchet Wrench, Spinner Handle, 110mm Sliding T-Bar, 150mm Flexible Extension, Universal Joint, Extension Bars; 50, 100, 150mm













C AK692

45pc 3/8"Sq Drive Socket Set - Metric/Imperial


Deluxe professional socket set with heat treated Chrome Vanadium steel WallDrive® sockets. Dual satin/chrome finish. Flip reverse gear-to-gear ratchet with quick socket release. Supplied in metal storage case.

Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm, 3/8",1/2", 9/16", 11/16", 13/16", Deep Sockets; 8, 9, 10, 11, 12, 13, 14, 16, 17, 19, 22mm, 3/8", 1/2", 9/16", 11/16", 13/16", Spark Plug Sockets; 16, 18, 21mm, 3/8"Sq Drive 48-Tooth Gear-to-Gear Quick Release Ratchet Wrench, Bent Flex Handle, T-Bar Adaptor 1/2"(F)-3/8"(M), Universal Joint, Extension Bars; 75, 150mm



Lifetime replacement warranty on all Premier and Siegen Hand Tools. Our no-quibble guarantee covers individual items within sets. Excludes TRX-Star* T40 bits, breaker bar knuckles, drill bits, cutting blades and taps and dies. Repair kits will be sent out for most ratchet wrenches.

















32pc 1/2"Sg Drive Socket Set - Metric/Imperial

Deluxe professional socket set with heat treated Chrome Vanadium steel WallDrive® sockets. Dual satin/chrome finish. Flip reverse gear-to-gear ratchet with quick socket release. Supplied in metal storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm, 3/8", 1/2", 9/16", 11/16", Spark Plug Sockets; 16, 21mm, 1/2"Sq Drive 48-Tooth Quick Release Ratchet Wrench, 375mm Breaker Bar, Universal Joint, Extension Bars; 75, 125, 250mm











G AK6942

50pc 3/8" & 1/2"Sq Drive Socket Set

Deluxe professional socket set with heat treated Chrome Vanadium steel WallDrive® sockets. Dual satin/chrome finish. Flip reverse gear-to-gear ratchet with quick socket release. Supplied in metal storage case.

Contents: 3/8"Sq Drive Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18mm, 3/8"Sq Drive Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18mm, 1/2"Sq Drive Sockets; 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm, 1/2"Sq Drive Deep Sockets; 19, 21, 22, 24, 27, 28, 30, 32mm, 3/8"Sq Drive Spark Plug Sockets; 16, 21mm, 3/8"Sq Drive Accessories; 48-Tooth Gear-to-Gear Quick Release Ratchet Wrench, Universal Joint, Extension Bars; 75, 250mm, 1/2"Sq Drive Accessories; 48-Tooth Gear-to-Gear Quick Release Ratchet Wrench, 450mm Breaker Bar, Universal Joint, Extension Bars; 125, 250mm, 1/2"Sq Drive - 3/8"Sq Drive Male Adaptor













E AK6941

46pc 1/2"Sq Drive Socket Set

Deluxe professional socket set with heat treated Chrome Vanadium steel WallDrive® sockets. Dual satin/chrome finish. Flip reverse gear-to-gear ratchet with quick socket release. Supplied in metal storage case.

Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm, Deep Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm, Spark Plug Sockets; 16, 21mm, 1/2"Sq Drive 48-Tooth Gear-to-Gear Quick Release Ratchet Wrench, 375mm Breaker Bar, Universal Joint, Extension Bars; 125, 250mm













AK694

64pc 3/8" & 1/2"Sq Drive Socket Set - Metric/Imperial/Whitworth

Deluxe professional socket set with heat treated Chrome Vanadium steel WallDrive® sockets. Dual satin/chrome finish. Flip reverse gear-to-gear ratchet with quick socket release. Supplied in metal storage case.

Contents: 3/8"Sq Drive Standard Sockets; 13, 14, 15, 16, 17, 18, 19mm, 3/8", 1/2", 9/16", 11/16", 3/8"Sq Drive Deep 6pt Sockets; 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 3/8", 1/2", 9/16", 11/16", 1/2"Sq Drive Standard Sockets; 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm, 1/2"Sq Drive Deep 6pt Sockets; 13/16", 1", 1-1/8", 1/2"Sq Drive WW 12pt Sockets; 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4", 3/8"Sq Drive Spark Plug Sockets; 16, 18, 21mm, 3/8" Sq Drive Accessories; 48-Tooth Gear-to-Gear Quick Release Ratchet Wrench, 150mm Sliding T-Bar, Universal Joint, Extension Bars; 75, 250mm, 1/2"Sq Drive Accessories; 48-Tooth Gear-to-Gear Quick Release Ratchet Wrench, 375mm Breaker Bar, Universal Joint, Extension Bars; 125, 250mm, T-Bar Adaptor 1/2"(F)-3/8"(M), Speed Brace

Premier Platinum Series







Professional socket set with heat treated Chrome Vanadium steel sockets and accessories. Fully polished micro satin finish. Standard sockets cover sizes from 4 to 14mm and deep sockets from 6 to 14mm. Features 90-tooth gear-to-gear ratchet wrench with quick release, extension bars, universal joint, sliding T-bar, spinner handle and 1/4"Hex bits. Includes contents map displayed inside the lid. Supplied in metal storage case with removable EVA foam tray.

Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Contents: Deep Sockets; 6, 7, 8, 10, 11, 12, 13, 14mm, 1/4"Sq Drive 90-Tooth Gear-to-Gear Ratchet Wrench with Quick Release, Extension Bars; 50, 100, 150mm, Sliding T-Bar, Spinner Handle, Universal Joint, 1/4"Hex x 1/4"Sq Drive Bit Adaptor, 1/4"Hex Bits; Slotted - 4, 5.5, 8mm, Phillips - #1, #2, #3 Pozi - #1, #2, #3, Hex - 3, 4, 5, 6mm, TRX-Star* - T10, T15, T20, T25, T27, T30, T40



32pc 3/8"Sq Drive Socket Set **Premier Platinum Series**

Professional socket set with heat treated Chrome Vanadium steel sockets and accessories. Fully polished micro satin finish. Standard sockets cover sizes from 6 to 24mm and deep sockets cover sizes from 10 to 19mm. Features 90-tooth gear-to-gear ratchet wrench with quick release, extension bars, universal joint and adaptors. Includes contents map displayed inside the lid. Supplied in metal storage case with removable EVA foam tray.

Standard Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 3/8"Sq Drive 90-Tooth Gear-to-Gear Ratchet Wrench with Quick Release, Extension Bars; 75, 150mm, Universal Joint, 1/2"Sq Drive - 3/8"Sq Drive Male Adaptor








B AK7921

31pc 3/8"Sq Drive Socket Set **Premier Platinum Series**



Standard Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, 3/8"Sq Drive 90-Tooth Gear-To-Gear Ratchet Wrench with Quick Release, Extension Bars; 75, 150mm, Universal Joint, Adaptors; 3/8"Sq Drive - 1/4"Hex, 1/2"Sq Drive Female - 3/8"Sq Drive Male, Bits; Slotted - 4, 5.5mm, Phillips - #1, #2, Pozi - #1, #2, Hex- 4, 6mm, TRX-Star* - T15, T20







D AK7923

37pc 3/8"Sq Drive Socket Set - Metric/Imperial **Premier Platinum Series**

Professional socket set with heat treated Chrome Vanadium steel sockets and accessories. Fully polished micro satin finish. Standard sockets cover sizes from 6 to 24mm and deep sockets cover sizes 8 to 19mm. Imperial sizes cover 1/4" to 3/4". Features 90-tooth gear-to-gear ratchet wrench with quick release, extension bars, universal joint and adaptors. Includes contents map displayed inside the lid. Supplied in metal storage case with removable EVA foam tray.

Contents: Standard Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Deep Sockets; 8, 10, 12, 13, 17, 19mm, Standard Imperial Sockets; 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 3/8"Sq Drive 90-Tooth Gear-to-Gear Ratchet Wrench with Quick Release, Extension Bars; 75, 150mm, Universal Joint, 1/2"Sq Drive Female - 3/8"Sq Drive Male Adaptor















E AK7924

24pc 1/2"Sq Drive Socket Set **Premier Platinum Series**

Professional socket set with heat treated Chrome Vanadium steel sockets and accessories. Fully polished micro satin finish. Covers sizes from 8 to 32mm in standard socket sizes. Features 90-tooth gear-to-gear ratchet wrench with quick release, extension bars, universal joint and adaptors. Includes contents map displayed inside the lid. Supplied in metal storage case with removable EVA foam tray.

Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, 1/2"Sq Drive 90-Tooth Gear-to-Gear Ratchet Wrench with Quick Release, Extension Bars; 75, 125, 250mm, Universal Joint, 3/8"Sq Drive Female - 1/2"Sq Drive Male Adaptor













E AK7925

40pc 1/2"Sq Drive Socket Set - Metric/Imperial **Premier Platinum Series**

Professional socket set with heat treated Chrome Vanadium steel sockets and accessories. Fully polished micro satin finish. Standard sockets cover sizes from 8 to 32mm and deep sockets cover sizes 10 to 22mm. Imperial sizes cover 7/16" to 1". Features 90-tooth gear-to-gear ratchet wrench with quick release, extension bars, universal joint and adaptors. Includes contents map displayed inside the lid. Supplied in metal storage case with removable EVA foam tray.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, Deep Sockets; 10, 12, 13, 17, 19, 22mm, Standard Imperial Sockets; 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1/2"Sq Drive 90-Tooth Gear-to-Gear Ratchet Wrench with Quick Release, Extension Bars; 75, 125, 250mm, Universal Joint, 3/8"Sq Drive Female - 1/2"Sq Drive Male Adaptor

G NEW





Ratchet Wrenches

Gear-to-Gear ratchet head design is much stronger than traditional styles and offers up to 30% more torque.











Gear Gear





All models feature removable EVA foam tray for alternative storage.

G AK7926

108pc 1/4" & 1/2"Sq Drive Socket Set **Premier Platinum Series**

Professional socket set with heat treated Chrome Vanadium steel sockets and accessories. Fully polished micro satin finish. Standard sockets cover sizes from 4 to 32mm and deep sockets cover sizes from 6 to 32mm. Features 90-tooth gear-to-gear ratchet wrench with quick release, extension bars, universal joint, adaptors, sliding T-bar and spinner handle. Includes contents map displayed inside the lid. Supplied in metal storage case with removable EVA foam tray.

Contents: 1/4"Sq Drive Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 1/4"Sq Drive Deep Sockets; 6, 7, 8, 9, 10, 11, 12, 13mm, 1/2"Sq Drive Standard Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, 1/2"Sq Drive Deep Sockets; 14, 15, 17, 19, 22mm, 1/4"Sq Drive E-Torx Sockets; E4, E5, E6, E7, E8, 1/2"Sq Drive E-Torx Sockets; E10, E11, E12, E14, E16, E18, E20, 1/4"Sq Drive 90-Tooth Gear-to-Gear Ratchet Wrench with Quick Release, Extension Bars; 50, 100mm, 150mm Flexible Extension Bar, 1/4"Sq Drive Sliding T-Bar, Spinner Handle, Universal Joint, 1/2"Sq Drive Gear-to-Gear 90-Tooth Ratchet Wrench with Quick Release, Extension Bars; 125, 250mm, Universal Joint, 3/8"Sq Drive Female – 1/2"Sq Drive Male T-Bar Adaptor, 8mm Hex Bit Adaptor, 8mm Hex Bits; Slotted; 7, 8, 10, 12mm, Phillips - #3, #4, Pozi - #3, #4, Hex; 8, 10, 12, 14mm, TRX-Star*; T40, T45, T50, T55, Spline - M5, M6, M8, M10, 1/4"Hex Socket Bits; Slotted - 4, 5.5, 7mm, Phillips - #1, #2, Pozi - #1, #2, Hex - 3, 4, 5, 6mm, TRX-Star* - T8, T10, T15, T20, T25, T27, T30, Hex Keys; 1.5, 2, 2.5mm







A AK2583

15pc 3/4"Sq Drive 12-point WallDrive® Socket Set

Manufactured from heat treated drop-forged Chrome Vanadium steel. Hardened and tempered with a dual satin chrome finish. WallDrive® sockets grip the flats of the fixing giving maximum torque transfer. Features pear-head flip reverse ratchet wrench with quick release. Includes sliding T-bar and extension bars. Supplied in heavy-duty storage case.

Contents: Standard Sockets; 19, 22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm, 500mm 3/4"Sq Drive Quick Release Ratchet Wrench, Extension Bars; 100, 200mm, 450mm Sliding T-Bar













C AK2598

22pc 3/4"Sq Drive 12-point WallDrive® Socket Set

Heat treated drop-forged Chrome Vanadium steel with chrome plating for corrosion resistance. WallDrive® sockets grip the flats of the fixing giving maximum torque transfer. Pear-head ratchet with flip reverse and quick release. Supplied in storage case.

Standard Sockets; 19, 21, 22, 23, 24, 26, 27, 29, Contents: 30, 32, 33, 35, 36, 38, 41, 46, 50mm, 3/4"Sq Reversible Ratchet Wrench 510mm, Extension Bars; 100, 150, 200mm, 460mm Sliding T-Bar





B AK2584

26pc 3/4"Sq Drive 12-point WallDrive® Socket Set Metric/Imperial

Manufactured from heat treated drop-forged Chrome Vanadium steel. Hardened and tempered with a dual satin chrome finish. WallDrive $^{\tiny \circledR}$ sockets grip the flats of the fixing giving maximum torque transfer. Features pear-head flip reverse ratchet wrench with quick release. Includes sliding T-bar and extension bars. Supplied in heavy-duty storage case.

Contents: Standard Sockets; 22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm; 7/8", 15/16", 1", 1-1/8", 1-3/16", 1-5/16", 1-3/8", 1-7/16", 1-5/8", 1-3/4", 1-7/8", 2", 500mm 3/4"Sq Drive Quick Release Ratchet Wrench, Extension Bars; 100, 200mm, 450mm Sliding T-Bar, Extension Bars; 100, 200mm, 450mm Sliding T-Bar









12 MM & IMP



D AK2582

26pc 3/4"Sq Drive 12-point WallDrive® Socket Set - Metric/Imperial

Manufactured from heat treated, drop-forged Chrome Vanadium steel with chrome plating for corrosion resistance. WallDrive® sockets grip the flats of the fixing giving maximum torque transfer. Supplied in heavy-duty impact resistant storage case.

Standard Sockets; 22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm, Contents: 7/8", 15/16", 1", 1-1/8", 1-3/16", 1-5/16", 1-3/8", 1-7/16", 1-5/8", 1-3/4", 1-7/8", 2", 450mm 3/4"Sq Drive Reversible Ratchet, Extension Bars; 100, 200mm, Sliding T-Bar



















17pc 3/4"Sq Drive Socket Set

Manufactured from heat treated drop-forged Chrome Vanadium steel. Hardened and tempered with a chrome finish for corrosion resistance. WallDrive® sockets grip the flats of the fixing giving maximum torque transfer. Features extendable pear-head flip reverse ratchet wrench with quick release. Includes breaker bar, extension bars and universal joint. Supplied in heavy-duty metal storage case.

Standard Sockets; 19, 22, 24, 27, 30, 32, 34, 36, 38, 41, 46, 50mm, 3/4"Sq Drive 510-760mm Quick Release Extendable Ratchet Wrench, Extension Bars; 200, 405mm, 505mm Breaker Bar, Universal Joint









C AK259/CRV

3/4" MM & IMP

22pc 3/4"Sq Drive 12-point WallDrive® Socket Set Metric/Imperial

Manufactured from Chrome Vanadium steel. Heat treated WallDrive® sockets with high chrome finish. Ratchet features heavily knurled grip and twist-reverse mechanism. Supplied in metal storage case.

Standard Sockets; 22, 24, 26, 27, 29, 30, 32, 33, 36, 38, 41, Contents: 46, 50mm, 1-1/8", 1-3/8", 1-7/16", 1-3/4", 3/4"Sq Drive Reversible Ratchet Wrench, Sliding T-Bar, Extension Bars; 100, 150, 200mm









B S0768

21pc 1"Sq Drive Socket Set

Heat treated, drop-forged, Chrome Vanadium steel with fully polished chrome plating for corrosion resistance. WallDrive® sockets, ratchet wrench with twist-reverse, extension bars and sliding T-bar. Supplied in metal storage case.

Contents: Standard Sockets; 36, 38, 41, 46, 50, 54, 55, 58, 60, 63, 65, 67, 70, 71, 75, 77, 80mm, Extension Bars; 200, 400mm, Sliding T-Bar, 1"Sq Drive Ratchet Wrench











D AK261

22pc 1"Sq Drive Socket Set

Manufactured from heat treated, drop-forged, Chrome Vanadium steel with chrome plating for corrosion resistance. WallDrive® sockets grip the flats of the fixing, giving maximum torque transfer. Flip reverse ratchet with quick release. Supplied in heavy-duty metal storage case.

Contents: Standard Sockets; 36, 38, 41, 46, 50, 54, 55, 58, 60, 63, 65, 67, 70, 71, 75, 77, 80mm, Extension Bars; 200, 400mm, Universal Handle, Sliding T-Bar Adaptor, 1"Sq Drive Quick Release Ratchet Wrench

