

## MT15 MIG TORCH 3M (RED)








- MIG torch MT15 with 3m cable (EURO connection).
- Air cooling.
- Max current 150A MIX / 180A CO2 @60%.

## DESCRIPTION

MT15 torch for MIG-MAG welding with continuous wire and 3-metre cable with EURO connector. Air cooled, it can work with maximum current 150A MIX/ 180A CO2 @60%. With 0.8 mm M6 contact tube.

## TECHNICAL DATA

<b>CODE</b>	CODE 742180		COOLING AIR		CABLE LENGTH 3 m
	T04050 16 mm <sup>2</sup>	<b>A</b> MAX	MAX CURRENT 150A mix / 180A co2 @60% A		T04058 Euro Connector
<b>REMOTE CONTROL</b>	T04053 no	<b>STANDARD</b>	STANDARD EN 60974-7		WEIGHT 1,560 kg

## ON REQUEST ACCESSORIES



CONTACT TIPS D.0.6 5PCS  
804084



KIT 5 CONTACT TIPS D.0.8  
804085



KIT 5 CONTACT TIPS D.1.0 MM  
AL/FLUX  
804086



KIT 5 CONTACT TIPS D.0.8  
AL/FLUX  
804087



KIT 5 CONTACT TIPS D.1,2  
AL/FLUX  
804088



KIT 2 CONICAL NOZZLES  
804090



KIT 2 CYLINDRICAL NOZZLES  
804091



KIT 5 SPRINGS  
804092



MIG-MAG TORCH MAGNETIC  
HOLDER  
804128



CONSUMABLES BOX FOR MIG  
TORCH MT15  
804137



SPOT WELDING NOZZLE  
722150



THIN HEADED NOZZLE  
TW160-180,MT15,SP.GUN  
722151



SWAN NECK MT15  
722305



WIRE GUIDE HD,SE D. 0,6-0,8 MM 3  
M BLUE  
722437



RIVETING NOZZLE  
722672



WIRE GUIDE HOSE D. 1,0-1,2 3 M  
RED  
722689



CONTACT TIP D. 1 MM FE M6  
L=25MM  
722705



WIRE GUIDE HOSE Ø1-1,2  
TEFL/GRAF.+TERM.  
742812



WIRE GUIDE HOSE Ø 1.0-1.2 4M  
AL  
742984

DOWNLOAD



CATALOG IMAGE