


A Premier

A SEE BELOW
Individual 3/8" Sq Drive Impact Sockets


Model No:	Size:	Depth:
IS3808	8mm	Standard
IS3810	10mm	Standard
IS3811	11mm	Standard
IS3812	12mm	Standard
IS3813	13mm	Standard
IS3814	14mm	Standard
IS3815	15mm	Standard
IS3816	16mm	Standard
IS3817	17mm	Standard
IS3818	18mm	Standard
IS3819	19mm	Standard
IS3808D	8mm	Deep
IS3810D	10mm	Deep
IS3811D	11mm	Deep
IS3812D	12mm	Deep
IS3813D	13mm	Deep
IS3814D	14mm	Deep
IS3815D	15mm	Deep
IS3816D	16mm	Deep
IS3817D	17mm	Deep
IS3818D	18mm	Deep
IS3819D	19mm	Deep

B Premier

B SEE BELOW
Individual 1/2" Sq Drive Impact Sockets

Model No:	Size:	Depth:
IS1210	10mm	Standard
IS1211	11mm	Standard
IS1212	12mm	Standard
IS1213	13mm	Standard
IS1214	14mm	Standard
IS1215	15mm	Standard
IS1216	16mm	Standard
IS1217	17mm	Standard
IS1218	18mm	Standard
IS1219	19mm	Standard
IS1220	20mm	Standard
IS1221	21mm	Standard
IS1222	22mm	Standard
IS1224	24mm	Standard
IS1227	27mm	Standard
IS1230	30mm	Standard
IS1232	32mm	Standard
IS1210D	10mm	Deep
IS1211D	11mm	Deep
IS1212D	12mm	Deep
IS1213D	13mm	Deep
IS1214D	14mm	Deep
IS1215D	15mm	Deep
IS1216D	16mm	Deep
IS1217D	17mm	Deep
IS1218D	18mm	Deep
IS1219D	19mm	Deep
IS1220D	20mm	Deep

B SEE BELOW
Individual 1/2" Sq Drive Impact Sockets

Model No:	Size:	Depth:
IS1221D	21mm	Deep
IS1222D	22mm	Deep
IS1224D	24mm	Deep
IS1227D	27mm	Deep
IS1230D	30mm	Deep
IS1232D	32mm	Deep
SX0041	33mm	12-point Deep
SX005	35mm	Deep
SX006	36mm	12-point Deep
SX009	40mm	Deep
SX007	41mm	Deep

C Premier

C SEE BELOW
Individual 3/4" Sq Drive Impact Sockets

Model No:	Size:	Depth:
IS3417	17mm	Standard
IS3419	19mm	Standard
IS3421	21mm	Standard
IS3424	24mm	Standard
IS3427	27mm	Standard
IS3430	30mm	Standard
IS3432	32mm	Standard
IS3433	33mm	Standard
IS3434	34mm	Standard
IS3435	35mm	Standard
IS3436	36mm	Standard
IS3438	38mm	Standard
IS3441	41mm	Standard
SX012	45mm	Standard
IS3446	46mm	Standard
SX013	46mm	Standard
IS3450	50mm	Standard
SX014	50mm	12-point Standard
IS3455	55mm	Standard
IS3460	60mm	Standard
IS3465	65mm	Standard
SX015	Thin Wall 65mm	Standard
IS3470	70mm	Standard
IS3417D	17mm	Deep
IS3419D	19mm	Deep
IS3421D	21mm	Deep
IS3424D	24mm	Deep
IS3427D	27mm	Deep
SX017	28mm	Deep
IS3430D	30mm	Deep
IS3432D	32mm	Deep
IS3433D	33mm	Deep
IS3434D	34mm	Deep
IS3435D	35mm	Deep
IS3436D	36mm	Deep
IS3438D	38mm	Deep
IS3441D	41mm	Deep
IS3446D	46mm	Deep
IS3450D	50mm	Deep
IS3455D	55mm	Deep
IS3460D	60mm	Deep
IS3465D	65mm	Deep
IS3470D	70mm	Deep

Individual Impact Sockets

Drop-forged, WallDrive® impact sockets. Hardened and tempered for added strength, with a phosphate finish for greater corrosion resistance. Chrome Vanadium steel used on 3/8" and 1/2" Sq drive. Chrome Molybdenum steel used on 3/4" and 1" Sq drive.

D Premier

D SEE BELOW
Individual 1" Sq Drive Impact Sockets

Model No:	Size:	Depth:
IS124	24mm	Standard
IS127	27mm	Standard
IS130	30mm	Standard
IS132	32mm	Standard
IS133	33mm	Standard
IS134	34mm	Standard
IS135	35mm	Standard
IS136	36mm	Standard
IS141	41mm	Standard
IS146	46mm	Standard
IS150	50mm	Standard
IS152	52mm	Standard
IS155	55mm	Standard
IS160	60mm	Standard
IS165	65mm	Standard
IS170	70mm	Standard
IS175	75mm	Standard
IS180	80mm	Standard
IS185	85mm	Standard
IS190	90mm	Standard
IS192	92mm	Standard
IS195	95mm	Standard
IS1100	100mm	Standard
IS1105	105mm	Standard
IS1110	110mm	Standard
IS1115	115mm	Standard
IS1120	120mm	Standard
IS124D	24mm	Deep
IS127D	27mm	Deep
IS130D	30mm	Deep
IS132D	32mm	Deep
IS133D	33mm	Deep
IS134D	34mm	Deep
IS135D	35mm	Deep
IS136D	36mm	Deep
IS141D	41mm	Deep
IS146D	46mm	Deep
IS150D	50mm	Deep
IS152D	52mm	Deep
IS155D	55mm	Deep
IS160D	60mm	Deep
IS165D	65mm	Deep
IS170D	70mm	Deep
IS175D	75mm	Deep
IS180D	80mm	Deep
IS185D	85mm	Deep
IS190D	90mm	Deep
IS192D	92mm	Deep
IS195D	95mm	Deep
IS1100D	100mm	Deep
IS1105D	105mm	Deep
IS1110D	110mm	Deep
IS1115D	115mm	Deep
IS1120D	120mm	Deep

A-F SEE BELOW

Impact Sockets

Our Premier series of high quality impact sockets is one of the most comprehensive ranges available to the automotive technician. All sockets are manufactured from the very highest quality materials, with either manganese phosphate or electrodeposition finish for corrosion resistance. Chrome Vanadium steel used on 3/8" and 1/2" Sq drive sockets. Chrome Molybdenum steel used on 3/4" and 1" Sq drive sockets. All models are supplied in storage case or tray and are suitable for use with air/electric impact guns and ratchet wrenches.



WallDrive® sockets are designed to grip the flats of the fixing and not the corners. This allows up to 30% more torque to be applied without causing damage. WallDrive® sockets can grip fasteners with rounded-off and damaged corners too.




All Premier and Siegen Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects.



A AK682

Type:	3/8" Sq Drive - Standard
Quantity of Sockets:	12
Contents:	8, 10, 11, 13, 14, 16, 17, 19mm, 3/8", 1/2", 9/16", 11/16"



B AK683

Type:	3/8" Sq Drive - Deep
Quantity of Sockets:	12
Contents:	8, 10, 11, 13, 14, 16, 17, 19mm, 3/8", 1/2", 9/16", 11/16"



C AK56/11M

Type:	1/2" Sq Drive - Standard
Quantity of Sockets:	10
Contents:	9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm




D AK684

Type:	1/2" Sq Drive - Standard
Quantity of Sockets:	16
Contents:	10, 11, 12, 13, 14, 17, 19, 21, 22, 24, 27mm, 1/2", 9/16", 5/8", 11/16", 13/16"



E AK58/11M

Type:	1/2" Sq Drive - Deep
Quantity of Sockets:	10
Contents:	9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm



F AK685

Type:	1/2" Sq Drive - Deep
Quantity of Sockets:	16
Contents:	10, 11, 12, 13, 14, 17, 19, 21, 22, 24, 27mm, 1/2", 9/16", 5/8", 11/16", 13/16"

A-D SEE BELOW

3/4"Sq Drive Impact Socket Sets

A

Premier

MM

3/4"
Sq Drive

6



A AK77/9M

Type:	3/4"Sq Drive - Standard
Quantity of Sockets:	8
Contents:	26, 27, 29, 30, 32, 35, 36, 38mm

B

Premier

Deep

3/4"
Sq Drive

MM

6



B AK885

Type:	3/4"Sq Drive - Deep
Quantity of Sockets:	8
Contents:	24, 27, 29, 30, 32, 35, 36, 38mm

D


Premier

Deep

3/4"
Sq Drive

MM

6



D AK80/9M

8pc 3/4"Sq Drive Deep Impact Socket Set

Type:	3/4"Sq Drive - Deep
Quantity of Sockets:	8
Contents:	26, 27, 29, 30, 32, 35, 36, 38mm

Premier

Our top-of-the-range hand tools suitable for the professional user. Designed and manufactured from the highest quality components, these tools are made to last a lifetime*.



C

Premier

MM & IMP

3/4"
Sq Drive

6



C AK686

Type:	3/4"Sq Drive - Standard
Quantity of Sockets:	13
Contents:	22, 24, 27, 30, 32, 33, 34, 36, 38mm, 1", 1-1/8", 1-3/8", 1-7/16"

E

F

G

H

3/4"
Sq Drive

Premier



E-H SEE BELOW


3/4"Sq Drive Impact Extension Bars

Drop-forged Chrome Molybdenum steel extension bars. Suitable for use on all types of impact tool. Phosphate finish for added corrosion resistance. Spring-ball socket retainer and drilled heads to accept retaining pin.

Model No:	Drive:	Length:
E AK5505	3/4"Sq	100mm
F AK5506	3/4"Sq	150mm
G AK5507	3/4"Sq	200mm
H AK5508	3/4"Sq	250mm

A-D SEE BELOW
Impact Socket Sets

Sockets are manufactured from Chrome Molybdenum steel with manganese phosphate finish for added corrosion resistance.



A AK687
Type: 3/4"Sq Drive
Quantity of Sockets: 13
Contents: 22, 24, 27, 30, 32, 33, 34, 36, 38mm, 1", 1-1/8", 1-3/8", 1-7/16"



C AK888M
Type: 1"Sq Drive
Quantity of Sockets: 8
Contents: 24, 27, 30, 32, 33, 34, 36, 41mm

Socket Size Conversion Table			
Metric:	Imperial:	Metric:	Imperial:
8mm	5/16"	24mm	15/16"
10mm	3/8"	25mm	1"
11mm	7/16"	27mm	1-1/16"
12mm	15/32"	28mm	1-1/8"
13mm	1/2"	30mm	1-3/16"
14mm	9/16"	32mm	1-1/4"
15mm	19/32"	33mm	1-5/16"
16mm	5/8"	35mm	1-3/8"
17mm	11/16"	36mm	1-7/16"
19mm	3/4"	38mm	1-1/2"
20mm	25/32"	41mm	1-5/8"
22mm	7/8"		



B AK688
Type: 1"Sq Drive
Quantity of Sockets: 10
Contents: 24, 27, 30, 32, 33, 36, 38, 41mm, 1", 1-1/8"



D AK689
Type: 1"Sq Drive
Quantity of Sockets: 10
Contents: 24, 27, 30, 32, 33, 36, 38, 41mm, 1", 1-1/8"

**A AK5619M****19pc 1/2" Sq Drive Impact Socket Set**


Standard depth WallDrive® sockets manufactured from Chrome Vanadium steel with electrodeposition finish for added corrosion resistance. Set includes three extension bars, 3/4" Sq drive adaptor and universal joint. Suitable for use with impact tools and supplied in metal storage case.

Drive: 1/2" Sq
Contents: Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm, Extension Bars; 50, 150, 250mm, Adaptor 1/2" Sq(F) x 3/4" Sq(M), 1/2" Sq Universal Joint

**C SX039****3pc 1/2" Sq Drive Alloy Wheel Ultra-Power Impact Socket Set**

Five times stronger than the conventional design and tested to 500Nm. Innovative design features a protective metal colour-coded ring that prevents the socket wall spreading. Each socket is sleeved and has an insert to prevent damage to alloy wheels and nuts. Supplied in storage case.

Contents: 17, 19, 21mm

**E AK5815M****15pc 1/2" Sq Drive Deep Impact Socket Set**

Deep WallDrive® sockets manufactured from Chrome Vanadium steel with electrodeposition finish for added corrosion resistance. Set includes extension bars and universal joint. Suitable for use with impact tools and supplied in metal storage case.

Drive: 1/2" Sq
Contents: Sockets; 10, 12, 13, 15, 16, 17, 18, 19, 21, 22, 24, 27mm, Extension Bars; 125, 250mm, 1/2" Sq Universal Joint

**B AK5615M****15pc 1/2" Sq Drive Impact Socket & Wheel Nut Remover Set**

Comprehensive impact socket set. Consists of three Chrome Molybdenum locking wheel nut removal sockets. Three Chrome Molybdenum colour-coded alloy wheel impact sockets with protective sleeve. Nine hardened and tempered Chrome Vanadium steel impact sockets with a phosphate finish for greater corrosion resistance. All impact sockets are WallDrive®, which allows a transfer of up to 30% more torque to the fixing. Supplied in storage case.

Drive: 1/2" Sq
Contents: Wheel Nut Removers; 18.5, 21.5, 26mm, Alloy Wheel Impact Sockets; 17, 19, 21mm, Impact Sockets; 10, 11, 13, 14, 17, 19, 22, 24, 27mm

**D AK5900B****8pc Impact Socket Adaptor Set**

Comprehensive set of impact adaptors for use on all types of impact tools. Manufactured from drop-forged Chrome Vanadium steel with phosphate finish for added corrosion resistance. Supplied in storage case.

Contents: 1/4"(F) x 3/8"(M), 3/8"(F) x 1/4"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/8"(M), 1/2"(F) x 3/4"(M), 3/4"(F) x 1/2"(M), 3/4"(F) x 1"(M), 1"(F) x 3/4"(M) Sq Drive

**F AK5614M****13pc 1/2" Sq Drive 12-Point Impact Socket Set**


Hardened and heat treated Chrome Molybdenum steel 12-point impact sockets with a phosphate finish for corrosion resistance. Suitable for use with air/electric impact guns. Supplied in storage case.

Drive: 1/2" Sq
Contents: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm



A AK68217
17pc 3/8"Sq Drive Impact Socket Set
 Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance. Standard depth WallDrive® sockets allow a transfer of up to 30% more torque to the fixing. Supplied in storage case.

Drive:	3/8"Sq
Quantity of Sockets:	13
Contents:	Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Extension Bars; 75, 150mm, 3/8"Sq Drive Universal Joint, 3/8"Sq(F)-1/2"Sq(M) Adaptor



C AK5514
6pc 1/2"Sq Drive Impact Adaptor & Extension Bar Set
 Chrome Vanadium steel extension bars and adaptors. Chrome Molybdenum steel universal joint. Phosphate finish for added corrosion resistance. Spring-ball socket retainer. Suitable for use with any impact tool. Supplied in storage case.

Drive:	1/2"Sq
Contents:	Extension Bars; 75, 150, 250mm, Adaptors; 1/2"(F)-3/8"(M), 1/2"(F)-3/4"(M), Universal Joint



All Premier and Siegen Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects. See www.sealey.co.uk for full details.



B AK5613LP
13pc 1/2"Sq Drive Low Profile Impact Socket Set
 Hardened and heat treated Chrome Molybdenum steel impact sockets with a phosphate finish for corrosion resistance. WallDrive® sockets allow a transfer of up to 30% more torque to the fixing. Low profile sockets with a depth of just 28mm, ideal for use in any application where access is restricted. Suitable for use with air/electric impact guns. Supplied in storage case.

Drive:	1/2"Sq
Quantity of Sockets:	13
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm



D AK681
32pc 3/8" & 1/2"Sq Drive Impact Socket Set
Standard/Deep - Metric/Imperial
 Manufactured from Chrome Vanadium steel with an electrode position finish for added corrosion resistance. Suitable for use with impact tools. Supplied in storage case.

Contents:	
3/8"Sq Drive Sockets:	8, 9, 10, 11, 12, 14, 15, 16, 17mm
1/2"Sq Drive Sockets:	17, 19, 22, 30mm, 1/2", 9/16", 11/16", 13/16", 1", 1-1/8"
1/2"Sq Drive Deep Sockets:	13, 15, 17, 18, 19, 21, 22, 24, 27, 30mm
Extension Bars:	3/8" x 75mm, 1/2" x 75mm
Adaptor:	1/2"(F)-3/8"(M)



A AK5613M

13pc 1/2"Sq Drive Impact Socket Set

Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance. Standard depth WallDrive® sockets allow a transfer of up to 30% more torque to the fixing.

Quantity of Sockets:	13
Type:	1/2"Sq Drive - Standard
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm



B AK5624M

16pc 1/2"Sq Drive Impact Socket Set

Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance. Standard depth WallDrive® sockets allow a transfer of up to 30% more torque to the fixing.

Quantity of Sockets:	16
Type:	1/2"Sq Drive - Standard
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm



C AK5816M

16pc 1/2"Sq Drive Deep Impact Socket Set

Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance. Deep WallDrive® sockets allow a transfer of up to 30% more torque to the fixing.

Quantity of Sockets:	16
Type:	1/2"Sq Drive - Deep
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm



D AK5634M

34pc 1/2"Sq Drive Impact Socket Set

Master set of impact sockets manufactured from Chrome Vanadium steel. Hardened and tempered with a phosphate finish for added corrosion resistance. Standard and deep WallDrive® sockets allow a transfer of up to 30% more torque to the fixing.

Quantity of Sockets:	32
Type:	1/2"Sq Drive - Standard & Deep
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm (1 of each Standard and Deep), 125mm Extension Bar, Universal Joint



A AK5616M

13pc 1/2" Sq Drive Lock-On™ Impact Socket Set

Manufactured from Chrome Molybdenum steel with manganese phosphate finish for added corrosion resistance. Features specially machined flutes in the walls of the socket to enable use on up to 85% rounded fasteners. This not only provides added strength but also prevents damage to worn or rusted fixings. Suitable for use with air/electric impact guns. Supplied in storage case.

Quantity of Sockets:	13
Type:	1/2" Sq Drive - Standard
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm





B AK5817M

16pc 1/2" Sq Drive Deep Lock-On™ Impact Socket Set

Manufactured from Chrome Molybdenum steel with manganese phosphate finish for added corrosion resistance. Features specially machined flutes in the walls of the socket to enable use on up to 85% rounded fasteners. This not only provides added strength but also prevents damage to worn or rusted fixings. Suitable for use with air/electric impact guns. Supplied in storage case.

Quantity of Sockets:	16
Type:	1/2" Sq Drive - Deep
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm



C AK5613TD

13pc 1/2" Sq Drive Total Drive® Impact Socket Set

Hardened and heat treated Chrome Molybdenum steel Total Drive® impact sockets with a phosphate finish for corrosion resistance. All are suitable for Spline, Metric Hex and Metric Bi-Hex and many are equivalent to TRX-Star*, Whitworth, Imperial Hex and Imperial Bi-Hex. Suitable for use with air/electric impact guns. Supplied in storage case.

Quantity of Sockets:	13
Type:	1/2" Sq Drive - Standard
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm



D SEE BELOW

Impact Extension Bars

Drop-forged steel extension bars. Suitable for use on all types of impact tool. Chrome Vanadium steel used on 3/8" and 1/2" Sq drive sizes. Chrome Molybdenum steel used on 3/4" and 1" Sq drive sizes, which demand higher torque rates. Phosphate finish for added corrosion resistance. Spring-ball socket retainer and drilled head to accept retaining pin where applicable.

Model No:	Drive:	Length:	Material:
AK5503	3/8" Sq	75mm	CrV
AK5504	3/8" Sq	150mm	CrV
AK5501	1/2" Sq	75mm	CrV
AK55012	1/2" Sq	125mm	CrV
AK5502	1/2" Sq	150mm	CrV
AK55022	1/2" Sq	250mm	CrV
AK5505	3/4" Sq	100mm	CrM
AK5506	3/4" Sq	150mm	CrM
AK5507	3/4" Sq	200mm	CrM
AK5508	3/4" Sq	250mm	CrM
AK5510	1" Sq	150mm	CrM
AK5511	1" Sq	200mm	CrM
AK5512	1" Sq	250mm	CrM

A Premier**1/2"**
Sq Drive**A AK5513****4pc 1/2"Sq Drive Impact Extension Bar Set**

Drop-forged Chrome Vanadium steel extension bars. Suitable for use on all types of impact tool. Phosphate finish for added corrosion resistance and spring-ball socket retainer. Supplied in storage tray.

Drive:	1/2"Sq
Lengths:	75, 125, 150, 250mm

B**1/2"**
Sq Drive**Premier****B AK5514****6pc 1/2"Sq Drive Impact Adaptor & Extension Bar Set**

Chrome Vanadium steel extension bars and adaptors. Chrome Molybdenum steel universal joint. Phosphate finish for added corrosion resistance. Spring-ball socket retainer. Suitable for use with any impact tool. Supplied in storage case.

Drive:	1/2"Sq
Contents:	Extension Bars; 75, 150, 250mm, Adaptors; 1/2"(F) x 3/8"(M), 1/2"(F) x 3/4"(M), Universal Joint

C NEW**1/2"**
Sq Drive **MM**
6**Premier****C AK5618M****9pc 1/2"Sq Drive Impact Socket Set**

Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance. Standard depth WallDrive® sockets allow a transfer of up to 30% more torque to the fixing. Colour-coded rings for fast identification. Supplied with composite socket rail.

Type:	1/2"Sq Drive - Standard
Quantity of Sockets:	16
Contents:	10, 13, 15, 16, 17, 18, 19, 21, 24mm

D NEW**1/2"**
Sq Drive **MM**
6**Premier****D AK5617M****13pc 1/2"Sq Drive Impact Socket Set**

Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance. Standard depth WallDrive® sockets allow a transfer of up to 30% more torque to the fixing. Colour-coded rings for fast identification. Supplied in storage case.

Type:	1/2"Sq Drive - Standard
Quantity of Sockets:	13
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm

E NEW**1/2"**
Sq Drive **MM**
6**Premier****E AK5625M****16pc 1/2"Sq Drive Impact Socket Set**

Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance. Standard depth WallDrive® sockets allows a transfer of up to 30% more torque to the fixing. Colour-coded rings for fast identification.

Type:	1/2"Sq Drive - Standard
Quantity of Sockets:	16
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm

F NEW**1/2"**
Sq Drive **MM**
Deep
6**Premier****F AK5818M****16pc 1/2"Sq Drive Impact Socket Set**

Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance. Deep WallDrive® sockets allow a transfer of up to 30% more torque to the fixing. Colour-coded rings for fast identification. Supplied in storage case.

Type:	1/2"Sq Drive - Deep
Quantity of Sockets:	16
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm



A AK5900

8pc Impact Socket Adaptor Set

Comprehensive set of impact adaptors for use on all types of impact tools. Manufactured from drop-forged Chrome Vanadium steel with phosphate finish for added corrosion resistance.

Contents: 1/4"(F) x 3/8"(M), 3/8"(F) x 1/4"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/8"(M), 1/2"(F) x 3/4"(M), 3/4"(F) x 1/2"(M), 3/4"(F) x 1"(M), 1"(F) x 3/4"(M) Sq Drive



C-H SEE BELOW

Impact Adaptors

Drop-forged steel adaptors. Suitable for use on all types of impact tool. Chrome Vanadium steel used on Model No's AK5400 and AK5401. Chrome Molybdenum steel used where applications demand higher torque rates. Phosphate finish for added corrosion resistance. Spring-ball socket retainer and drilled head to accept retaining pin where applicable.

Model No:	Female:	Male:	Length:	Material:
C AK5400	3/8"Sq	1/2"Sq	36mm	CrV
D AK5401	1/2"Sq	3/8"Sq	38mm	CrV
E AK5402	1/2"Sq	3/4"Sq	48mm	CrM
F AK5403	3/4"Sq	1/2"Sq	58mm	CrM
G AK5404	3/4"Sq	1"Sq	63mm	CrM
H AK5405	1"Sq	3/4"Sq	70mm	CrM



M AK5523

4pc Impact Socket Adaptor Set

Set of impact adaptors for use on all types of impact tools. Manufactured from drop-forged Chrome Molybdenum steel with a manganese phosphate finish for corrosion resistance.

Contents: 3/8"(F) x 1/4"(M), 1/4"(F) x 3/8"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/8"(M) Sq Drive



N AK5524

3pc Low Profile Impact Socket Adaptor Set

Set of impact adaptors for use on all types of impact tools. Manufactured from drop-forged Chrome Molybdenum steel with manganese phosphate finish for added corrosion resistance. Low profile design to get to spaces that would otherwise be inaccessible.

Contents: 1/4"(F) x 3/8"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/4"(M)



B AK5900B

8pc Impact Socket Adaptor Set

Comprehensive set of impact adaptors for use on all types of impact tools. Manufactured from drop-forged Chrome Vanadium steel with phosphate finish for added corrosion resistance. Supplied in storage case.

Contents: 1/4"(F) x 3/8"(M), 3/8"(F) x 1/4"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/8"(M), 1/2"(F) x 3/4"(M), 3/4"(F) x 1/2"(M), 3/4"(F) x 1"(M), 1"(F) x 3/4"(M) Sq Drive



I-L SEE BELOW

Impact Universal Joints

Drop-forged steel universal joints. Suitable for use on all types of impact tool. Chrome Vanadium steel used on 3/8"Sq drive size. Chrome Molybdenum steel used where applications demand higher torque rates. Phosphate finish for added corrosion resistance. Spring-ball socket retainer and drilled head to accept retaining pin where applicable.

Model No:	Female:	Length:	Material:
I AK5497	3/8"Sq	50mm	CrV
J AK5500	1/2"Sq	70mm	CrM
K AK5498	3/4"Sq	110mm	CrM
L AK5499	1"Sq	130mm	CrM



O AK5521

3pc Impact Socket Adaptor Set


Manufactured from Chrome Vanadium steel with manganese phosphate finish for added resistance from corrosion. Turns any power drill into a power nut driver with added reach. Contains 1/4", 3/8" and 1/2"Sq drive adaptors.

Contents: 65mm 1/4"Hex x 1/4"Sq Drive, 65mm 1/4"Hex x 3/8"Sq Drive, 75mm 1/4"Hex x 1/2"Sq Drive

**A AK5522****7pc Impact Socket Adaptor Set**


Manufactured from Chrome Vanadium and Chrome Molybdenum steel with manganese phosphate finish for added resistance from corrosion. Includes three hex shank power tool socket adaptors and four square drive socket adaptors.

Contents: 65mm 1/4"Hex x 1/4"Sq Drive, 65mm 1/4"Hex x 3/8"Sq Drive, 75mm 1/4"Hex x 1/2"Sq Drive, 3/8"(F) x 1/4"(M), 1/4"(F) x 3/8"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/8"(M)

**B AK5620****8pc 3/8"Sq Drive Hex Impact Socket Bit Set**

Manufactured from hardened and tempered Chrome Molybdenum steel with a manganese phosphate finish for resistance to corrosion. 3/8"Sq drive impact hex socket bits with an additional locking 1/2"Sq drive quick change adaptor. Supplied in an EVA storage tray.

Contents: 3/8"Sq Drive Hex Socket Bits; 5, 6, 8, 10, 12, 14, 17mm, 1/2"Sq Drive Quick Change Adaptor

**C AK5525****9pc 1/4" & 3/8"Sq Drive Low Profile Hex Impact Socket Bit Set**

Manufactured from Chrome Molybdenum steel with manganese phosphate finish for added resistance from corrosion. Low profile for use in areas that may otherwise be inaccessible. Supplied in an EVA storage tray.

Drive: 1/4" & 3/8"Sq
Minimum/Maximum Length: 25/40mm
Contents: 1/4"Sq Drive; 6, 7, 8, 10mm, 3/8"Sq Drive; 12, 14, 17, 18, 19mm

**D AK5609****9pc 1/2"Sq Drive Impact Hex Bit & Holder Set**

1/2"Sq drive Chrome Molybdenum steel bit holder with S2 steel bits. Phosphate finish for corrosion resistance. Suitable for use with any impact tool. Supplied in storage tray.

Drive: 1/2"Sq
Length: 35mm
Contents: 1/2"Sq Drive Bit Holder, Impact Hex Bits; 6, 7, 8, 10, 12, 14, 17, 19mm

**E AK5601****8pc 1/2"Sq Drive Hex Impact Socket Bit Set**

Chrome Molybdenum steel impact sockets with 1/2"Sq drive. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.

Drive: 1/2"Sq
Length: 78mm
Contents: Impact Hex Socket Bits; 5, 6, 8, 10, 12, 14, 17, 19mm

**F AK6217****6pc 3/4"Sq Drive Impact Hex Socket Bit Set**

One-piece Chrome Molybdenum steel sockets. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in steel storage case.

Drive: 3/4"Sq
Contents: 14, 17, 19, 21, 22, 23mm
Length: 60mm




A AK5586
6pc 3/4"Sq Drive Impact Hex Socket Bit Set
Durable Chrome Molybdenum steel gives optimum balance between hardness and flexibility. Suitable for use with any impact tool. Supplied in storage case.

Drive:	3/4"Sq
Length:	108mm
Contents:	Impact Hex Socket Bits; 14, 17, 19, 22, 24, 27mm



C AK5526
10pc 1/4" & 3/8"Sq Drive Low Profile Impact TRX-Star* Socket Bit Set
Manufactured from Chrome Molybdenum steel with manganese phosphate finish for added resistance from corrosion. Low profile for use in areas that may otherwise be inaccessible. Supplied in storage tray.

Drive:	1/4", 3/8"Sq
Minimum Length:	25mm
Maximum Length:	40mm
Contents:	1/4"Sq Drive; T10, T15, T20, T25, T27, T30, 3/8"Sq Drive; T40, T45, T47, T50



E AK5607
6pc 1/2"Sq Drive Low Profile Impact TRX-Star* Socket Bit Set
Chrome Molybdenum steel impact sockets with 1/2"Sq drive. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.

Drive:	1/2"Sq
Length:	40mm
Contents:	Impact TRX-Star* Socket Bits; T55, T60, T70, T80, T90, T100



B AK5621
8pc 3/8"Sq Drive Impact TRX-Star* Socket Bit Set
Manufactured from hardened and tempered Chrome Molybdenum steel with a manganese phosphate finish for resistance to corrosion. 3/8"Sq drive TRX-Star* impact socket bits with an additional locking 1/2"Sq drive quick change adaptor. Supplied in an EVA storage tray.

Contents: 3/8"Sq Drive TRX-Star* Socket Bits; T30, T40, T45, T50, T55, T60, T70, 1/2"Sq Drive Quick Change Adaptor



D AK5610
9pc 1/2"Sq Drive Impact TRX-Star* Bit & Holder Set
1/2"Sq drive Chrome Molybdenum steel bit holder with S2 steel bits. Phosphate finish for corrosion resistance. Suitable for use with any impact tool. Supplied in storage tray.

Drive:	1/2"Sq
Length:	35mm
Contents:	1/2"Sq Drive Bit Holder, Impact TRX-Star* Bits; T30, T40, T45, T47, T50, T55, T60, T70



F AK5602
8pc 1/2"Sq Drive TRX-Star* Impact Socket Bit Set
Chrome Molybdenum steel impact sockets with 1/2"Sq drive. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.

Drive:	1/2"Sq
Length:	78mm
Contents:	Impact TRX-Star* Socket Bits; T30, T40, T45, T50, T55, T60, T70, T80

A

 1/2"
Sq Drive


Premier

A AK2301**10pc 1/2" Sq Drive Impact TRX-Star* Female Socket Set**

Chrome Molybdenum steel impact sockets with 1/2" Sq drive. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.

Drive: 1/2" Sq

Contents: Impact TRX-Star* Female Socket; E10, E11, E12, E14, E16, E18, E20, E22, E24, 3/8" Sq(F) x 1/2" Sq(M) Adaptor

C

 1/2"
Sq Drive


Premier

C AK5612**25pc 1/2" Sq Drive Impact TRX-Star*/Hex/Spline Bit Set**

Comprehensive set of TRX-Star*, Hex and Spline bits in Chrome Molybdenum steel, including a 1/2" Sq drive bit holder with 2mm grub screw. Phosphate finish for corrosion resistance. Supplied in storage case.

Drive: 1/2" Sq

Length: 35mm

Contents: Bits; TRX-Star* - T30, T40, T45, T47, T50, T55, T60, T70, Hex - 6, 7, 8, 10, 12, 14, 17, 19mm, Spline - M6, M8, M9, M10, M12, M14, M16, M18, 1/2" Sq Drive Bit Holder

E

 1/2"
Sq Drive


Premier

E AK5608**6pc 1/2" Sq Drive Impact Spline Socket Bit Set**

Chrome Molybdenum steel impact sockets with 1/2" Sq drive. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.

Drive: 1/2" Sq

Length: 40mm

Contents: Impact Spline Socket Bits; M8, M10, M12, M14, M16, M18

B

 3/8"
Sq Drive


Premier

B AK5622**8pc 3/8" Sq Drive Spline Impact Socket Bit Set**

Manufactured from hardened and tempered Chrome Molybdenum steel with a manganese phosphate finish for resistance to corrosion. 3/8" Sq drive impact spline socket bits with an additional locking 1/2" Sq drive quick change adaptor. Supplied in an EVA storage tray.

Contents: 3/8" Sq Drive Sockets; M6, M8, M10, M12, M14, M16, M18, 1/2" Sq Drive Quick Change Adaptor

D

 1/2"
Sq Drive


Premier

D AK5611**9pc 1/2" Sq Drive Impact Spline Bit & Holder Set**

1/2" Sq drive Chrome Molybdenum steel bit holder with S2 steel bits. Phosphate finish for corrosion resistance. Suitable for use with any impact tool. Supplied in storage tray.

Drive: 1/2" Sq

Length: 35mm

Contents: 1/2" Sq Drive Bit Holder, Impact Spline Bits; M6, M8, M9, M10, M12, M14, M16, M18

F

 1/2"
Sq Drive


Premier

F AK5604**8pc 1/2" Sq Drive Impact Spline Socket Bit Set**

Chrome Molybdenum steel impact sockets with 1/2" Sq drive. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.

Drive: 1/2" Sq

Length: 78mm

Contents: Impact Spline Socket Bits; M5, M6, M8, M10, M12, M14, M16, M18



A AK21902

28pc 3/8" & 1/2" Sq Drive Impact TRX-Star*/Hex/Spline Bit Set

High quality impact grade S2 steel satin finish 36mm length bits. Specially heat treated CNC machined tips reduce stress and prevent cam-out under load. Torsion bits absorb impact and transfer maximum torque to the fixing. Hardened (58-62 HRC) and tempered for added strength. Colour-coded for fast identification. Supplied in storage case.

Drive: 3/8" & 1/2" Sq

Contents: TRX-Star* Bits; T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60, Hex Bits; 4, 5, 6, 7, 8, 10, 12mm, Spline Bits; M5, M6, M8, M10, M12, M14, M16, M18, Drive Adaptors; 3/8" Sq x 10mm Hex, 1/2" Sq x 10mm Hex



C AK5617

12pc 3/4" Sq Drive Impact Socket Bit & Accessories Set

Chrome Molybdenum steel impact socket, bits and accessories. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.

Drive: 3/4" Sq

Length: 65mm

Contents: Bits; TRX-Star* - T70, T80, T90, T100, Hex - 14, 17, 19, 21, 22mm, Adaptor; 1/2"(M) x 3/4"(F) Sq Drive, 3/4" Sq Drive 165mm Extension Bar, 3/4" Sq Drive Bit Holder



B AK21901

42pc 3/8" & 1/2" Sq Drive Impact TRX-Star*/Hex/Spline Bit Set

High quality impact grade S2 steel satin finish bits, each size in 36 and 75mm lengths. Heat treated CNC machined tips reduce stress and prevent cam-out under load. Torsion bits absorb impact and transfer maximum torque to the fixing. Hardened (58-62 HRC) and tempered for added strength. Colour-coded for fast identification. Supplied in storage case with inclined tray for quick and easy bit selection.

Drive: 3/8" & 1/2" Sq

Contents: TRX-Star* Bits; T20, T25, T30, T40, T45, T50, T55, T60 (1 each 36 and 75mm), Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 each 36 and 75mm), Spline Bits; M5, M6, M8, M10, M12 (1 each 36 and 75mm), Drive Adaptors; 3/8" Sq x 10mm Hex, 1/2" Sq x 10mm Hex

