

SAFETY PRODUCTS

 [back to Section List](#)



Back Supports

1292

Coveralls

1291

Ear Protection

1290

Eye Protection

1277-1283

Face Protection

1279-1282

Fire Extinguishers

1299

First Aid Kits

1300-1301

Gloves

1284-1287

Helmets

1292

Hi-Vis Clothing

1293

Knee Pads

1292

Masks

1288-1289

PAPR Welding Helmets

1282

Safety Signs

1294-1298

Welding Helmets

1280-1282

Welding Protection

1280-1284



A SSP29

Safety Spectacles

BS EN 166/F - Lightweight spectacles. Side arms with built-in ventilated shields.

Lens Type: Clear



B 9204

Value Safety Glasses

BS EN 166/F - Clear polycarbonate safety lens with direct ventilation in the frame.

Lens Type: Clear



C 9203

Over-Spectacles

Fits over most prescription glasses. Clear lightweight polycarbonate design. Ideal for visitors use. Conforms to BS EN 166/1F.

Lens Type: Clear



D SSP44

Adjustable Arm Safety Spectacles

BS EN 166/F - Wraparound, clear, anti-scratch, polycarbonate lens. Adjustable length nylon arms for a snug fit.

Lens Type: Clear



E SSP61

Safety Spectacles

BS EN 166/F - Modern wraparound design gives increased protection. Comfortable dual material temples for improved fit around the nose. Polycarbonate anti-scratch clear lens.

Lens Type: Clear



F SSP3

Safety Spectacles

BS EN 166/F - Clear polycarbonate, abrasion resistant lenses. Integrally moulded side and brow protection.

Lens Type: Clear



G SEP1

Flexi Grip Gloves, FFP1 Mask, Goggles & Ear Plugs

Contents: 9329 - FFP1 Fold Flat Mask, 201 - Standard Goggles Indirect Vent, 9125XL - Flexi Grip Nitrile Palm Gloves (X-Large) - Pair, 403 Range - Ear Plugs



H SEP2

Flexi Grip Gloves, FFP1 Mask, Goggles & Ear Defenders

Contents: 9329 - FFP1 Fold Flat Mask, 201 - Standard Goggles Indirect Vent, 9125XL - Flexi Grip Nitrile Palm Gloves (X-Large) - Pair, 406 - Ear Defenders Cat 3 - Standard



I EWS01

Eye/Wound Wash Station

Comprises sterile eye and wound wash for cleaning and eye pads for dressing. Comprehensive station suitable for garages, workshops and any other environment with potential eye/wound related hazards. Supplied in a robust storage case with carry handle and wall mounting bracket.

Contents: 500ml Eye Wash (x2), 15ml Eye/Wound Wash (x2), Eye Dressings (x2)



WORKSAFE®

A-C SEE BELOW

Sports Style Safety Glasses with Adjustable Arms

Adjustable arms to fit all head sizes. Wraparound design for increased protection. Soft, comfortable nose bridge. Conforms to BS EN 166/1F.

Model No:	Lens Type:
A 9208	Clear
B 9209	Anti-Glare
C 9212	Light Enhancing



WORKSAFE®

D-F SEE BELOW

Zante Style Safety Glasses with Flexi Arms

Polycarbonate lens. Zante style, soft durable flexi arms. Soft, comfortable nose bridge. Conforms to BSEN 166/1F.

Model No:	Lens Type:
D 9213	Clear
E 9214	Anti-Glare
F 9215	Light Enhancing



WORKSAFE®

G SSP1

Safety Goggles - Direct Vent

BS EN 166/B 3 - Clear polycarbonate safety lens with direct ventilation in goggle frame.

Lens Type:	Clear
------------	-------



WORKSAFE®

H SEE BELOW

Standard Goggles - Indirect Vent

Clear polycarbonate safety lens with indirect ventilation in the frame. Conforms to BS EN 166/1B.

Model No:	Lens Type:	Pack Size:
201	Clear	1
201/10	Clear	10



I-J SEE BELOW

Safety Spectacles

BS EN 166/F - Modern, lightweight wraparound design, with flexible TPR arms, offers added protection and increased user comfort. Polycarbonate anti-scratch lens.

Model No:	Lens Type:
I SSP66	Clear
J SSP67	Anti-Glare



K-L SEE BELOW

Safety Spectacles with EVA Padding

BS EN 166/F. Modern, lightweight wraparound design, with flexible TPR arms, offers added protection and increased user comfort. Polycarbonate anti-scratch lens. Includes foam lining to keep wind, dust and other irritants away from eyes.

Model No:	Lens Type:
K SSP68	Clear
L SSP69	Anti-Glare



WORKSAFE®

M 9202

Premium Goggles - Indirect Vent

BS EN 166/1B - Designed with a wide-angle curved lens to enhance visibility. Adjustable headband and soft PVC frame provide added comfort. Indirect ventilation in goggle frame. Conforms to CE standards.

Lens Type:	Clear
------------	-------



WORKSAFE®

A SSP80PAPR
Deluxe Face Shield with Powered Air Purifying Respirator (PAPR)

PAPR (Powered Air Purifying Respirator) system with deluxe safety face shield. Lithium battery powered respirator unit provides the user a constant filtered stream of air to their head and face for up to approximately 8 hours. The filter assembly, consisting of a foam pre-filter and HEPA filter, is designed to reduce or remove dust and particles but not vapours and gases. The kit meets performance class TH2 according to EN 12941:1998/A2:2008. Adjustable airflow settings of 150-180L/min. Features an audible alarm to alert user of low battery/low airflow. Polycarbonate visor for increased protection, stability, and durability. Ratchet adjustable headband with front and back padding for extra comfort. Suitable for use with standard glasses. Face shield conforms to BS EN 166, Optical Class 1, Impact Grade F.

PAPR Air Flow Settings:	150/180L/min
Operating Time:	Low Speed: 6-8hr Approx. High Speed: 4-6hr Approx.
PAPR Lithium Battery Charging Time:	3hr approx.
Operating Temperature:	-5° to +55°C
Storage Temperature:	-10° to +50°C
Power:	Rechargeable Lithium Battery
Weight:	1.1kg
PAPR Filter Classification:	TH2 P RSL



WORKSAFE®

B SSP80
Deluxe Face Shield

Ratchet adjustable headband with front and back padding for extra comfort. Polycarbonate visor for increased protection, stability and durability. Stepped angle adjustment on visor which simply flips up out of the way when not in use. Suitable for use with standard glasses. Premium quality for automotive, agricultural and industrial applications. Conforms to BS EN 166, Optical Class 1, Impact Grade F.



WORKSAFE®

C SSP78
Deluxe Brow Guard with Aspherical Polycarbonate Full Face Shield

Ratchet adjustable headband with front and back padding for extra comfort. Polycarbonate visor for increased protection, stability and durability. Stepped angle adjustment on visor which simply flips up out of the way when not in use. Can be used with standard glasses. Premium quality for automotive, agricultural and industrial applications. Conforms to BS EN 166, Optical Class 1, Impact Grade F.

Replacement Visor: SSP78.V2R



WORKSAFE®

D SSP10E
Brow Guard with Full Face Shield

Ratchet adjustable headband with brushed nylon comfort band. Competitive quality for automotive, agricultural and industrial applications. Can be used with standard glasses. Conforms to BS EN 166, Optical Class 1, Impact Grade F.

Replacement Visor: SSP10E/R



WORKSAFE®

E SSP76
Safety Goggles with Detachable Face Shield

BS EN 166 BT 3 - Manufactured from polycarbonate for superior durability and resistance. Offers full face protection with an increased range of mobility compared to a standard face protector. Curved face shield conforms to the shape of the face offering improved protection. Detachable indirect vented goggles to allow for extra versatility. Features a wide-angle curved lens for enhanced visibility. Adjustable headband with soft PVC frame provides added comfort.



WORKSAFE®

F SSP11E
Brow Guard with Full Face Shield

BS EN 166, Optical Class 1, Impact Grade B - Ratchet adjustable headband with brushed nylon comfort band. Suitable for automotive, agricultural and industrial applications.

Replacement Visor: SSP11E/R



WORKSAFE®

G 225
Spare Mesh Visor

Suits all Worksafe® safety helmets. Conforms to BS EN1731:2006.



Shade 10

A SSP101
Welding Head Shield - Shade 10

Welding head shield with polypropylene shell and adjustable headband. Features a 2" x 4-1/4" front flip lens for quick and easy weld inspection. Supplied with a shade 10 lens. Conforms to BS EN 175.

Shade:	10
--------	----



Shade 9-13 Variable

Grinding Function

D PWH600
Auto Darkening Welding Helmet
Shade 9-13

High quality infinitely variable shade 9-13 lens manufactured and tested to BS EN 379. Fully automatic switching from light to dark on striking arc. Features infinitely adjustable sensitivity and delay switches. Grinding function enables user to grind without removing mask. Deluxe contoured helmet approved to BS EN 175 which gives full neck protection and protects lens from scratching when helmet is laid down. Comfortable headband and non-slip quick release ratchet mechanism. Suitable for MIG, TIG, arc and gas welding.

Shade Active:	9-13 Variable
Shade Inactive:	4
Grinding Function:	✓
Viewing Area:	100 x 45mm
Operating Time Light/Dark:	0.3ms
Operating Temperature:	-10°C to +60°C
Power:	Lithium Cell Battery



Shade 11

B S01000
Auto Darkening Welding Helmet - Shade 11

Complies to BS EN 379, BS EN 175 and DIN standards. Features automatic switching from light to dark on striking arc. Fitted with adjustable sensitivity and delay controls for switching light to dark. Deluxe contoured helmet with fully adjustable headband featuring front pad for added comfort. Suitable for MIG, TIG and arc welding.

Shade Active:	11
Shade Inactive:	3
Grinding Function:	✗
Viewing Area:	91 x 39mm
Operating Time Light/Dark:	0.1ms
Operating Temperature:	-10°C to +60°C
Power:	Lithium Cell Battery



Shade 9-13 Variable

Grinding Function

E PWH601
Auto Darkening Welding Helmet
Shade 9-13

High quality infinitely variable shade 9-13 lens manufactured and tested to BS EN 379. Fully automatic switching from light to dark on striking arc. Features adjustable sensitivity and delay switches. Grinding function enables user to grind without removing mask. Deluxe contoured helmet approved to BS EN 175 which gives full neck protection and protects lens from scratching when helmet is laid down. Comfortable headband and non-slip quick release ratchet mechanism. Suitable for MIG, TIG, arc and gas welding.

Shade Active:	9-13 Variable
Shade Inactive:	4
Grinding Function:	✓
Viewing Area:	100 x 41mm
Operating Time Light/Dark:	0.1ms
Operating Temperature:	-10°C to +60°C
Power:	Lithium Cell Battery



Shade 9-13 Variable

Grinding Function

C S01001
Auto Darkening Welding Helmet
Shade 9-13

Welding helmet with infinitely adjustable shade control between 9-13. Complies with BS EN 379, BS EN 175 and DIN standards. Fully automatic switching from light to dark on striking arc. Shade is selected by a rotary knob on side of helmet. Grinding function enables user to grind without removing mask. Solar panel power supply - no batteries required. Features sensitivity and delay controls for switching light to dark. Contoured design helmet with adjustable headband for added comfort. Suitable for MIG, TIG and arc welding.

Shade Active:	9-13 Variable
Shade Inactive:	4
Grinding Function:	✓
Viewing Area:	92 x 42mm
Operating Time Light/Dark:	0.1ms
Operating Temperature:	-5°C to +55°C
Power:	Solar Cells



F

300ml

F MIG/722308
300ml Anti-Spatter Pressure Spray

Extremely effective anti-spatter spray preventing spatter build-up on fixings, jigs and welding nozzles. Contains rust inhibitor to prevent corrosion. Innovative pressure spray system allows 99% of the active product to be expelled from the can. Up to six times the life of normal aerosols.

Safe to use	✓
Non-toxic	✓
No acrid fumes	✓
Cleaner, easier and tidier welding	✓
Environmentally friendly	✓
Recyclable tin	✓




A-D SEE RIGHT
Auto Darkening Welding Helmets
Shade 9-13

Welding helmets with infinitely adjustable shade control between 9-13. Complies with BS EN 379, BS EN 175 and DIN standards. True colour technology for improved depth perception, allowing far greater welding precision. Fully automatic switching from light to dark on striking arc. Shade is selected by a rotary knob on side of helmet. Grinding function enables user to grind without removing mask. Solar panel power supply - no batteries required. Features sensitivity and delay controls for switching light to dark. Suitable for MIG, TIG, arc welding and grinding.

TRUE COLOUR Shade 9-13 Variable Grinding Function

Model No:	Colour:
A PWH1	Red
B PWH2	Blue
C PWH3	Green
D PWH4	Yellow
Shade Active:	9-13 Variable
Shade Inactive:	4
Grinding Function:	✓
Viewing Area:	92 x 42mm
Operating Time Light/Dark:	0.04ms
Operating Temperature:	-5°C to +55°C
Power:	Solar Cells



A-D True Colour Technology for improved visibility.




E-H SEE RIGHT
Auto Darkening Welding Helmets
Shade 9-13

Welding helmets with infinitely adjustable shade control between 9-13. Complies with BS EN 379, BS EN 175 and DIN standards. True colour technology for improved depth perception, allowing far greater welding precision. Fully automatic switching from light to dark on striking arc. Shade is selected by a rotary knob on side of helmet. Grinding function enables user to grind without removing mask. Solar panel power supply - no batteries required. Features sensitivity and delay controls for switching light to dark. Suitable for MIG, TIG, arc welding and grinding.

TRUE COLOUR Shade 9-13 Variable Grinding Function

Model No:	Colour:
E PWH610	Black
F PWH611	Blue
G PWH612	Red
H PWH613	Silver
Shade Active:	9-13 Variable
Shade Inactive:	4
Grinding Function:	✓
Viewing Area:	96 x 38mm
Operating Time Light/Dark:	0.1ms
Operating Temperature:	-10°C to +60°C
Power:	Solar Cells



E-H Feature Auto Darkening Cartridge.

A

Shade 5-8
Switchable

Shade 9-13
Variable



Lithium
RECHARGEABLE



B

Shade 5-8
Switchable

Shade 9-13
Variable

TRUE COLOUR



Lithium
RECHARGEABLE



C NEW

Shade 5-8
Switchable

Shade 9-13
Variable

TRUE COLOUR



Lithium
RECHARGEABLE

European Standard EN12941

EN 12941 is the European standard for a complete powered air filtering device incorporating a face helmet or visor. This standard outlines three classes of performance, which define the following maximum levels of inward leakage*:

10% for TH1

2% for TH2

0.2% for TH3

**Inward leakage estimates the performance of a respiratory device by measuring contaminants that leak through a respirator from various sources, including filter penetration, face seals, valves and gaskets.*

A PWR615 meets Class TH3.

B PWR616 meets Class TH1.

C PWR617 meets Class TH2.

A-C SEE BELOW

Welding Helmets with EN 12941 Powered Air Purifying Respirators (PAPR)

PAPR (Powered Air Purifying Respirator) systems with auto darkening welding helmets. Lithium battery powered respirator units provide the user with a constant filtered stream of air to their head and face. The filters are designed to reduce or remove dust and particles but not vapours and gases. The kits meet relevant "TH" classes of EN 12941:1998/A2:2008 (see right). Suitable for MIG, TIG MMA/ARC welding, cutting and grinding. Model No. PWR616 features an inner hood with protective clear visor. Complies with BS EN379, EN175, EN166 (Model No. PWR616 only), EN12941 and DIN standards.

	A	B	C
Model No:	PWH615	PWH616	PWH617
Shade Active:	5-8 Switchable & 9-13 Variable	5-8 Switchable & 9-13 Variable	5-8 Switchable & 9-13 Variable
Shade Inactive:	4	4	4
Grinding Function:	✓	✓	✓
Viewing Area:	120 x 100mm	98 x 62mm	98 x 55mm
Internal Safety Visor:	✗	✓	✗
Operating Time Light/Dark:	0.1ms	1/25,000s	1/25,000s
Operating Temperature:	-5°C to +55°C	-5°C to +55°C	-5°C to +55°C
Power:	Solar Cells/Rechargeable Lithium Battery	Solar Cells/Rechargeable Lithium Battery	Solar Cells/Rechargeable Lithium Battery



A SSP6
Gas Welding Goggles with Flip-Up Lenses
 Clear polycarbonate safety lenses with shade 5 flip-up lenses. Indirect ventilation in goggle frame. Conforms to BS EN 175.

Shade: 5




B SSP5
Gas Welding Goggles
 Shade 5 welding lens with indirect ventilation in goggle frame. Suitable for gas welding. Conforms to BS EN 175 and BS EN 169.

Shade: 5




C PL102L
50mm Brass Body Long Shackle Padlock
 See page 1070 full details.



D-H SEE BELOW
Gas Cylinder Safety Cages

Powder coated galvanised 30mm box frames with 50 x 50 x 3mm wire mesh. Hinged door with hasp and staple for padlock (not provided). Pre-drilled fixing points for bolting to solid surface. Supplied flat-packed for easy self-assembly. Supplied with safety sign.



	D	E	F	G	H
Model No:	GCSC219	GCSC247	GCSC319	GCSC419	GCSC447
Dimensions (W x D x H):	700 x 500 x 900mm	1000 x 500 x 1400mm	900 x 500 x 1000mm	1350 x 500 x 900mm	1000 x 1000 x 1400mm
Suitability:	2 x 19kg Cylinders	2 x 47kg Cylinders	3 x 19kg Cylinders	4 x 19kg Cylinders	4 x 47kg Cylinders
Weight:	19.5kg	30kg	23kg	27.35kg	37kg



I SSP/LWA
Leather Welding Apron
 Comfortable leather welding apron with ties.

Length: 900mm
 Width: 600mm



J SSP146
Heavy-Duty Leather Welding Apron
 Heavy-duty traditional welding apron protects body and upper legs when welding. Manufactured from split cow hide leather with Kevlar® stitching. Adjustable straps with quick release buckles ensure a secure fit at all times. Features front hook-and-loop pocket and conforms to EN ISO 11611.

Size (W x H): 565 x 900mm



K SSP145
Heavy-Duty Leather Welding Safety Hood
 Heavy-duty leather welding hood, offers best mix of durability, comfort and protection from sparks and spatter. Hook-and-loop fastening means one size fits all. Manufactured from split cow hide leather with Kevlar® stitching. Conforms to EN ISO 11611.



A SSP141
Lined Leather Welding Gauntlets - Pair
 Gauntlets offer superior protection from spatter and heat. Comfortable, durable and preferred by the professional welder. Conforms to BS EN 388 and BS EN 407.



B SSP142
TIG Welding Gauntlets - Pair
 Quality goat skin TIG welding leather gauntlets with 160mm split cow leather cuff. 330mm Length. Conforms to BS EN 388 and BS EN 12477:2001.



C SSP151
Heavy-Duty Lined Leather Welding Gauntlets - Pair
 Traditionally designed extra-large welding gauntlets providing excellent protection against spatter and heat. Manufactured from split cow hide leather with Kevlar® stitching, cotton lined cuff with a soft comfortable fleece lining. Durability is enhanced by additional leather, stitched over the palm area of the hand. This model cannot be used for arc welding. Five year storage life in cool, dry conditions. In case of wear/damage/deterioration the gloves must be scrapped. Certified to EN 12477, Type 'A'. Rated to EN 388 - 3134X and EN 407 - 41314X.



D SEE BELOW
Kevlar® Hot Sleeves
 Manufactured to CAT 2 BS EN 388 and BS EN 407 from 100% DuPont Kevlar®. Designed for use in engine bays to prevent cuts to forearms and burns from exhausts and other hot components. Thumb slot design ensures sleeve will stay in position.

Model No:	Length:
SSP36	355mm
SSP37	460mm



E SSP41
585mm Shot Blasting Gauntlets - Pair
 Protection for hands, wrists and forearms. Suitable for all types of shot/grit blasters.

Length:	585mm
---------	-------



F SEE BELOW
Rigger's Gloves - Pair
 Strong stitching, a generous fit and quality materials make this an ideal glove for general-purpose trade use. Conforms to BS EN 21430:2020 & 388:2016 Level 2242X.

Model No:	Pack Size:
SSP12	1
SSP12/6	6



G SEE BELOW
Rigger's Gloves Hide Palm - Pair
 Strong stitching, a generous fit and quality materials make this an ideal glove for heavy trade use. Conforms to BS EN 21420:2020 & 388:2016 Level 2242X.

Model No:	Pack Size:
SSP13	1
SSP13/6	6



H SSP14HV
Reflective Rigger's Gloves - Pair
 Strong stitching, a generous fit and quality materials make this an ideal glove for heavy trade use. Bright dual coloured backing and reflective bands for increased visibility. Conforms to BS EN 21430:2020 & 388:2016 Level 2242X.

Model No:	Pack Size:
SSP14HV	1
SSP14HV/6	6





A SEE BELOW

Mechanic's Gloves Padded Palm

Close fitting gloves suitable for professional workshop use. Palm is padded with cushion points giving added protection against vibration - ideal for use with air powered workshop tools. Spandex® back for added user comfort. Hook-and-loop wrist strap. Washable materials.


Model No:	Size:
MG796L	Large
MG796XL	X-Large

D SEE BELOW

Black Diamond Grip Extra-Thick Nitrile Powder-Free Gloves - Pack of 50

Black nitrile gloves ideal for repair technicians, mechanics, health and safety work, among other uses. More durable than standard nitrile gloves thanks to 10mil thickness. Provides excellent protection whilst being light and flexible. Chemical resistant and certified to EN ISO 374-1:2016+A1:2018 , EN 374-5:2016 & EN420:2003+A1:2009. Also certified to BS EN ISO 374-5 (bacteria, fungi and viruses). Powder-free for those with relevant dermatological conditions.

Model No:	Size:
SSP57L	Large
SSP57XL	Extra-Large



B SEE BELOW

Light Palm Tactouch Mechanic's Gloves

Professional close fitting gloves. Unlike conventional mechanic's gloves, they allow precision control when working with small fixings and tools. Soft, breathable and durable with anti-slip palms and touchscreen index fingertips. Washable materials.

Model No:	Size:
MG798L	Large
MG798XL	X-Large



F SEE BELOW

Premium Powder-Free Disposable Nitrile Gloves - Large - Pack of 100

Offers a high degree of protection against a variety of chemicals. More durable than standard latex gloves. Provides excellent protection whilst being light and flexible. Nitrile material, ideal for people with latex protein allergies. Manufactured to EN455 Parts 1, 2 & 3.

Model No:	Size:
SSP55L	Large
SSP55XL	X-Large



C SSP34

330mm Cuffed Nitrile Gauntlets - Pair

330mm Nitrile gauntlets designed to cope with thinners and similar liquids including: N-Heptane, 40% Sodium Hydroxide, 96% Sulphuric Acid, 65% Nitric Acid, 99% Acetic Acid, 25% Ammonium Hydroxide, 37% Formaldehyde. CE Marked and manufactured to CAT 3 BS EN 388 and 374.



E SEE BELOW

Orange Diamond Grip Extra-Thick Nitrile Powder-Free Gloves - Pack of 50

Diamond Grip gloves ideal for repair technicians, mechanics, health and safety work, among other uses. Greater elasticity and durability thanks to extra-thick 10mil construction. Chemical resistant and Certified to EN ISO 374-1:2016+A1:2018 , EN 374-5:2016 & EN420:2003+A1:2009. Raised textured surface vastly improves grip over regular disposable gloves in both wet and dry conditions. Powder-free for those with relevant dermatological conditions.

Model No:	Size:
SSP56L	Large
SSP56XL	Extra-Large



G APGD

Magnetic Glove Dispenser

Dispenser attaches to any ferrous surface and can also be wall mounted. Four small magnets hold the dispenser in place. Suitable for packs of 50/100 disposable gloves. Self-adjusting springs to hold different box sizes.

PURCHASE YOUR WAY (Gloves Sold in Multiples of Pairs)



Single Pair



Pack of 6 Pairs



Pack of 12 Pairs



Box of 120 Pairs



A SEE BELOW

Nitrile Foam Gloves

Nitrile coated palm gives superior grip and dexterity. Good abrasion resistance. Breathable open back. CE Marked and conforms to BS EN 388:2016 4-1-2-2-X.

Model No:	Size:	Pack Qty:
9125L	Large	1
9125XL	X-Large	1
TSP125L/6	Large	6
TSP125XL/6	X-Large	6
9125L/12	Large	12
9125XL/12	X-Large	12
9125L/B120	Large	120
9125XL/B120	X-Large	120



B SEE BELOW

Super Grip Knitted Gloves Latex Palm

Latex coating with poly cotton lining gives superior grip in wet and dry conditions. Breathable open back. Enhanced tear resistance. CE Marked and conforms to BS EN 388:2016 2-1-3-1-X.

Model No:	Size:	Pack Qty:
9121L	Large	1
9121XL	X-Large	1
TSP121L/6	Large	6
TSP121XL/6	X-Large	6
9121L/12	Large	12
9121XL/12	X-Large	12
9121L/B120	Large	120
9121XL/B120	X-Large	120



C SEE BELOW

Foam Latex Grippa Gloves

Latex coating gives superior grip in wet and dry conditions. Lightweight design for superior dexterity. CE Marked and conforms to BS EN 388:2016 2-1-2-1-X.

Model No:	Size:	Pack Qty:
9140L	Large	1
9140XL	X-Large	1
TSP140L/6	Large	6
TSP140XL/6	X-Large	6
9140L/12	Large	12
9140XL/12	X-Large	12
9140L/B120	Large	120
9140XL/B120	X-Large	120



D SEE BELOW

Lightweight Precision Grip Gloves

Flexible elasticated wrist work gloves. Polyurethane coated palm for grip and protection. Ideal for tasks where dexterity is important. CE Marked and conforms to BS EN 388:2016 3-1-4-1-X.

Model No:	Size:	Pack Qty:
9117L	Large	1
9117XL	X-Large	1
TSP117L/6	Large	6
TSP117XL/6	X-Large	6
9117L/12	Large	12
9117XL/12	X-Large	12
9117L/B120	Large	120
9117XL/B120	X-Large	120



E SEE BELOW

PVC Knit Wrist Gloves

Knitted wrist waterproof gloves with PVC coating palm and back for excellent protection against abrasion. Wide-ranging applications, as waterproof coating repels oil, grease and non-corrosive liquids. CE Marked and conforms to BS EN 388:2016 3-1-2-1-X.

Model No:	Size:	Pack Qty:
9106L	Large	1
9106XL	X-Large	1
9106L/12	Large	12
9106XL/12	X-Large	12
9106L/B120	Large	120
9106XL/B120	X-Large	120



F SEE BELOW

Thermal Super Grip Gloves

Latex coating gives superior grip in wet and dry conditions. Brushed terry liner for warmth and comfort. CE Marked and conforms to BS EN 388:2016 2-2-4-2-X.

Model No:	Size:	Pack Qty:
9126	One Size Fits All	1
TSP126/6	One Size Fits All	6
9126/12	One Size Fits All	12
9126/B120	One Size Fits All	120



A SEE BELOW

Anti-Cut PU Gloves (Cut Level C) - Pair

Highest cut resistance - (Cut Level C) provides maximum protection against cuts and abrasions. Polyurethane coated palm for improved grip. The whole liner is cut resistant, including the back of the glove. CE Marked and conforms to BS EN 388:2016 4-4-4-3-C.

Model No:	Size:	Pack Qty:
9139L	Large	1
9139XL	X-Large	1



B SEE BELOW

Anti-Vibration Gloves - Pair

Special anti-vibration material covers palm and fingertips to significantly reduce the effects of impact and vibration. Breathable fabric improves comfort. Ideal for use with jack hammers, air impact tools, drilling equipment and chainsaws, among others. Conforms to EN 388:2016 and EN ISO 10819:2013.

Model No:	Size:	Pack Qty:
9142L	Large	1
9142XL	X-Large	1



C SEE BELOW

Super Cool Hide Gloves - Pair

Full grain cowhide. Breathable back, adjustable hook-and-loop wrist. Supple, hard-wearing premium gloves.

Model No:	Size:	Pack Qty:
9136L	Large	1
9136XL	X-Large	1



D SEE BELOW

Cut & Impact Resistant Gloves - Pair

Durable HPPE knitting provides cut resistance to level C. Anti-slip coating on the palm of the glove to give greater control to use in wet or oily environments. Additional reinforcement at thumb crotch for enhanced protection. Impact resistant TPR material on the back of the glove to help protect knuckles, fingers and thumbs during use. Hook-and-loop wrist strap. Washable material. Conforms to BS EN ISO 21420:2020 & EN388:2016 + A1:2018. Performance Levels - 4X43CP.

Model No:	Colour:	Size:
SSP39L	Green	Large
SSP39XL	Green	X-Large
SSP38L	Red	Large
SSP38XL	Red	X-Large



E SEE BELOW

Precision Grip Gloves - Pair

White diamond effect precision grip gloves, for work in clean environments. Diamond effect on the gloves adds greater grip when working with delicate items whilst maintaining flexibility and comfort. Conforms to EN388:2016 + A1:2018 performance levels 3-1-3-1-X.

Model No:	Size:	Pack Qty:
SSP50L	Large	1
SSP50L/6	Large	6
SSP50L/B120	Large	120
SSP50XL	X-Large	1
SSP50XL/6	X-Large	6
SSP50XL/B120	X-Large	120



F SEE BELOW

Waterproof Latex Gloves - Pair

Knitted wrist smooth latex waterproof gloves provide excellent protection and resistance to water, oil and grease-based applications. Extra textured coating on palm for superior grip and control for use in wet environments whilst maintaining flexibility and comfort. Conforms to BS EN 388:2016+ A1:2018 - performance levels 2-1-3-1-X.

Model No:	Size:	Pack Qty:
SSP49L	Large	1
SSP49L/6	Large	6
SSP49L/B120	Large	120
SSP49XL	X-Large	1
SSP49XL/6	X-Large	6
SSP49XL/B120	X-Large	120



G SEE BELOW

Anti-Slip Handling Gloves - Pair

Spun nylon gloves with interlocking criss-cross coating. Ideal for handling cartons, glass and other items with a sheer finish. Conforms to BS EN 388.

Model No:	Size:	Pack Qty:
SSP33	X-Large	1
SSP33/12	X-Large	12



H SEE BELOW

PVC Gauntlets - Pair

Fully coated PVC gloves give excellent abrasion protection for whole forearm. Wide-ranging applications, as waterproof coating repels oil, grease and non-corrosive liquids. Conforms to BS EN 388:2016 4-1-3-1-X.

Model No:	Size:	Pack Qty:
9114	One Size Fits All	1
9114/12	One Size Fits All	12
9114/B120	One Size Fits All	120



A SEE BELOW

FFP1 Fold Flat Masks

FFP1NR fold flat masks. Protects against non-toxic dusts and water-based aerosols. Fitted with adjustable band, nose liner and aluminium nose clip to fit all face contours. Filter Efficiency $\geq 80\%$. Manufactured to BS EN 149:2001 + A1:2009.

Model No:	Pack Qty:
9329/3	3
9329/10	10



B SEE BELOW

FFP1 Cup Masks

Cup masks class FFP1NR. Protects against non-toxic dusts and water-based aerosols. Fitted with nose liner and aluminium nose clip to fit all face contours. Filter Efficiency $\geq 80\%$. Manufactured to BS EN 149:2001 + A1:2009.

Model No:	Pack Qty:
9309/3	3
9309/10	10



C SEE BELOW

FFP1 Valved Cup Masks

Cup masks class FFP1NR. Protects against non-toxic dusts and water-based aerosols. Fitted with nose liner and aluminium nose clip to fit all face contours. Also fitted with breathing vent to provide more comfort and better communication as well as reducing heat build-up. Filter Efficiency $\geq 80\%$. Manufactured to BS EN 149:2001 + A1:2009.

Model No:	Pack Qty:
9331/3	3
9331/10	10



D SEE BELOW

FFP2 Fold Flat Masks

Fold flat masks class FFP2 NR D. Protects against solid dust and oil mist up to 12 x OEL. Fold flat pocket style design means easy to compact when not in use. Passed dolomite test so will resist clogging even in high dust environments. Fitted with adjustable band, nose liner and aluminium nose clip to fit all face contours.

Model No:	Pack Qty:
9304/3	3
9304/10	10



E SEE BELOW

FFP2 Valved Fold Flat Masks

Fold flat masks class FFP2 NR. Protects against slightly toxic or irritant aerosols and/or liquids. Fitted with adjustable band, nose liner and aluminium nose clip to fit all face contours. Also fitted with breathing vent to provide more comfort and better communication as well as reducing heat build-up. Filter Efficiency $\geq 94\%$. Manufactured to BS EN 149:2001 + A1:2009.

Model No:	Pack Qty:
9305/3	3
9305/10	10



F SEE BELOW

FFP2 Valved Cup Masks

Cup masks class FFP2 NR. Protects against slightly toxic or irritant aerosols and/or liquids. Fitted with nose liner and aluminium nose clip to fit all face contours. Also fitted with breathing vent to provide more comfort and better communication as well as reducing heat build-up. Filter Efficiency $\geq 94\%$. Manufactured to BS EN 149:2001 + A1:2009.

Model No:	Pack Qty:
9332/3	3
9332/10	10



CHOOSING YOUR MASK

FFP1	Filter Efficiency > 80%
Protection	Non-toxic dust and/or water based aerosols, minor dust level.
Application	Handling rubble, sweeping, drilling concrete.
Substance	Flour, chalk, graphite, cotton, concrete.
FFP2	Filter Efficiency > 94%
Protection	Mild toxic or irritant, solid & liquid aerosols, moderate dust level.
Application	Plastering, sanding rust & soft wood, grinding & cutting metal, paint spraying.
Substance	Untreated softwood, coal, powder, pesticide, fibreglass.
FFP3	Filter Efficiency > 99%
Protection	Toxic liquids, solid & liquid aerosols, high dust level.
Application	Paint stripping, sanding of hardwood and cement, copper, chrome or arsenic welding.
Substance	Biological, pharmaceutical, chrome, lime, lead, asbestos (non-handling).



G SEE BELOW

FFP3 Valved Fold Flat Masks

FFP3 NR fold flat masks. Protects against solid aerosols and/or liquids listed as toxic. Fitted with adjustable band, nose liner and aluminium nose clip to fit all face contours. Also fitted with breathing vent to provide more comfort and better communication as well as reducing heat build-up. Filter Efficiency $\geq 99\%$. Manufactured to BS EN 149:2001 + A1:2009.

Model No:	Pack Qty:
9333/3	3
9333/10	10



H SEE BELOW

FFP3 Valved Cup Masks

FFP3 NR D valved cup masks. Protects against solid dust and oil mist up to 50 x OEL. Passed dolomite test so will resist clogging even in high dust environments. Fitted with adjustable band, nose liner and aluminium nose clip to fit all face contours. Also fitted with breathing vent to provide more comfort and better communication as well as reducing heat build-up.

Model No:	Pack Qty:
9334/3	3
9334/10	10



A NEW



A 9360/66

Half Mask with A2P3R Filter Cartridges

Lightweight and dermatologically friendly made from soft thermoplastic elastomer. Built-in exhalation vent makes breathing out easy and comfortable without letting harmful materials in. Threaded cartridges makes connecting filters easy and efficient. Ideal for a variety of painting, sanding and wood and metal cutting tasks. Adjustable straps in order to optimize comfort and support. Supplied with 2 x A2P3R filters for protection against organic vapour and particulate. Maximum user levels 5000ppm or 30 x OEL, whichever is lower.

Consumable Parts: 9366 - A2P3R Filter Cartridge, 9364 - Pre-Filter - Pack of 10

B



B 9366

A2P3R Filter Cartridge Pack of 2

Filters designed to fit Model No. 9360 series Half Masks. A2P3R Filters to protect against organic vapour and particulate. Maximum user levels 5000ppm or 30 x OEL whichever is lower. Conforms to EN 143 and EN 14387.

Filter Usage	DUSTS		FUMES/ODOURS		WOODS	FIBRES	PAINTING TASKS				MAINTENANCE		
	Plaster	General	Nuisance Odours	Resins	Welding (Ferrous & Lead)	Hard & Soft	Fibres & Fibreglass	Water Based	Solvent Based & White Spirit	Rubbing Down Paint	Heat & Chemical Stripping	Glyphosate (Weed Killer)	Mists
A2P3R	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

C



WORKSAFE®

C 9360

Half Mask - No Cartridges

Lightweight and dermatologically friendly made from soft thermoplastic elastomer. Inbuilt exhalation vent makes breathing out easy and comfortable without letting harmful materials in. Threaded cartridges makes connecting filters easy and efficient. Adjustable straps in order to optimize comfort and support.

D



WORKSAFE®

D 9360/62

Half Mask with P3R Filter Cartridges

Lightweight and dermatologically friendly made from soft thermoplastic elastomer. Built-in exhalation vent makes breathing out easy and comfortable without letting harmful materials in. Threaded cartridges makes connecting filters easy and efficient. Ideal for a variety of painting, sanding & wood and metal cutting tasks. Adjustable straps in order to optimize comfort and support. Supplied with 2 x P3R HEPA filters for protection against particulate. Maximum user levels 30 x OEL.

Spare Filter Cartridge (Pk of 2): 9362

E



WORKSAFE®

E 9360/61

Half Mask with A1P2R Filter Cartridges

Lightweight and dermatologically friendly made from soft thermoplastic elastomer. Built-in exhalation vent makes breathing out easy and comfortable without letting harmful materials in. Threaded cartridges makes connecting filters easy and efficient. Ideal for a variety of painting, sanding & wood and metal cutting tasks. Adjustable straps in order to optimize comfort and support. Supplied with 2 x A1P2R filters for protection against organic vapour and particulate. Maximum user levels 1000ppm or 10 x OEL whichever is lower.

Spare Filter Cartridge (Pack of 2): 9361

Spare Pre-Filter (Pack of 10): 9364

F



WORKSAFE®

F 9360/63

Half Mask with ABEK1 P2R Filter Cartridges

Lightweight and dermatologically friendly made from soft thermoplastic elastomer. Inbuilt exhalation vent makes breathing out easy and comfortable without letting harmful materials in. Threaded cartridges makes connecting filters easy and efficient. Ideal for a variety of painting, sanding & wood and metal cutting tasks. Adjustable straps in order to optimize comfort and support. Supplied with 2 x ABEK1 P2R filters for protection against organic vapour, inorganic gases, acid gases, ammonia, derivatives and particulate. Maximum user levels 1000ppm or 10 x OEL whichever is lower.

Spare Filter Cartridge (Pack of 2): 9363

Spare Pre-Filter (Pack of 10): 9364

G



WORKSAFE®

G SEE BELOW

Pre-Filter - Pack of 10

Pack of 10 pre-filters to fit onto Model No's 9361, 9363 and 9366 Cartridges. Replacement pre-filter to protect against solid particles. Conforms to EN 143.

Model No:	Spare for:
9364 (Pk of 10):	Spare Pre-Filter for 9361 & 9363
9365 (Pk of 2):	Spare Holding Ring for 9364

H



WORKSAFE®

H 9363

ABEK1 P2R Cartridge Pack of 2

Filters designed to fit Model No. 9360 series Half Masks. ABEK1 P2R Filters to protect against organic vapour, inorganic gases, acid gases, ammonia and its derivatives and particulate. Maximum user levels 1000ppm or 10 x OEL whichever is lower. Conforms to EN 143 and EN 14387.

I



WORKSAFE®

I 9361

A1P2R Filter Cartridge Pack of 2

Filters designed to fit Model No. 9360 series Half Masks. A1 P2R Filters to protect against organic vapour and particulate. Maximum user levels 1000ppm or 10 x OEL whichever is lower. Conforms to EN 143 and EN 14387.

J



WORKSAFE®

J 9362

P3R Filter Cartridge - Pack of 2

Filters designed to fit Model No. 9360 series Half Masks. P3R Filters to protect against particulates. Maximum user levels 30 x OEL. Conforms to EN 143.



A



A SEE BELOW

Disposable Ear Plugs

Disposable, single use ear plugs. Supplied in a dispenser with twist mechanism that can be wall mounted or surface standing. Provides comfortable protection from noise. SNR Rating 38dB. Conforms to BSEN 352.

Model No:	Pack Qty:
403/250D	250 Pairs
403/500D	500 Pairs
Replacement Ear Plugs: 403/250DRE - 250 pairs, 403/500DRE - 500 pairs	



F



F 9420

Wireless Electronic Ear Defenders

Built-in digital wireless technology including microphone allows you to take hands-free calls or listen to music via your ear defenders. Easy-access controls enable you to take calls and adjust the volume level. Includes AUX input to allow connection with non-wireless compatible devices. Fitted with adjustable headband for comfort. Supplied with charging cable and AUX cable. Lightweight, yet rugged construction, certified to BS EN 352-1:2002 standard. Hearing protection level in excess of the standard, with an SNR of 29dB.

Battery:	3.7V 0.75Ah Li-ion
Battery Life:	≥8hr
Charging Time:	3.5hr
Transmission Range:	≥10m
Operating Temperature:	0 - 40°C
Storage Temperature:	-20 to +60°C
Storage Humidity:	<30%
Working Humidity:	<80%



B



B 402/1

Corded Ear Plugs

Triple flange design manufactured from a soft pliable material providing a comfortable fit. Corded for convenient carrying and helps prevent loss of plugs. Supplied in plastic storage case. SNR Rating: 32dB. Conforms to BSEN 352.



D



D 404/100

Disposable Ear Plugs Corded - Pack of 100 Pairs

100 Pairs of individually wrapped, disposable, single use, corded ear plugs. Provides comfortable protection from noise. SNR Rating 34dB. Conforms to BSEN 352.



G



G 406

Ear Defenders Cat 3 - Standard

Lightweight yet rugged construction offering protection to BS EN 352.1. SNR Rating 27dB. Adjustable swivel cups for optimum comfort and safety. Fully approved to protect against high noise levels in most working environments.



H



H SSP19F

Deluxe Ear Defenders - Folding

Lightweight, yet rugged construction, certified to BS EN 352-1:2002 standard. Hearing protection level in excess of the standard, with an SNR of 32dB. Fully adjustable ear cups to ensure a precise seal against the head. Arms fold in for easy storage. Fully approved to protect against high noise levels in most working environments.



C



C SEE BELOW

Disposable Ear Plugs

Disposable, single use ear plugs. Provides comfortable protection from noise. SNR Rating 34dB. Conforms to BS EN 352.

Model No:	Pack Qty:
403/10	10 Pairs
403/100	100 Pairs
403/200	200 Pairs



E



E SSP18F

Ear Defenders - Folding

Lightweight, yet rugged construction, certified to BS EN 352-1:2002 standard. Hearing protection level in excess of the standard, with an SNR of 30.4dB. Adjustable swivel cups for optimum comfort and safety. Arms fold in for easy storage. Fully approved to protect against high noise levels in most working environments.



G



I



I SSP19C0

Deluxe Clip-On Ear Defenders

Lightweight, yet rugged construction, certified to BS EN 352-3:2002 standard. Hearing protection level in excess of the standard, with an SNR of 30dB. Fully adjustable ear cups to ensure a precise seal against the head. Suitable for use on all Worksafe® helmets or any helmet with a 30mm fixing point. Fully approved to protect against high noise levels in most working environments.



A SEP1
Flexi Grip Gloves, FFP1 Mask, Goggles & Ear Plugs

Contents: 9329 - FFP1 Fold Flat Mask, 201 - Standard Goggles Indirect Vent, 9125XL - Flexi Grip Nitrile Palm Gloves (X-Large) - Pair, 403 Range - Ear Plugs



B SEP2
Flexi Grip Gloves, FFP1 Mask, Goggles & Ear Defenders

Contents: 9329 - FFP1 Fold Flat Mask, 201 - Standard Goggles Indirect Vent, 9125XL - Flexi Grip Nitrile Palm Gloves (X-Large) - Pair, 406 - Ear Defenders Cat 3 - Standard



C SEE BELOW
Site Kits

Safety kits for construction and building site use.

Model No:	Contents:
SKBOX/L	502W - Plus Safety Helmet - Vented (White), 9804L - Hi-Vis Waistcoat (Site and Road Use) Yellow - Large, 9121L - Super Grip Knitted Gloves Latex Palm (Large) - Pair, 201 - Standard Goggle Indirect Vent, 9309 - FFP1 Cup Mask, 403 - Ear Plugs
SKBOX/XL	502W - Plus Safety Helmet - Vented (White), 9804XL - Hi-Vis Waistcoat (Site and Road Use) Yellow - X-Large, 9121XL - Super Grip Knitted Gloves Latex Palm (X-Large) - Pair, 201 - Standard Goggle Indirect Vent, 9309 - FFP1 Cup Mask, 403 - Ear Plugs



D SEP4
Flexi Grip Gloves, FFP2 Mask, Goggles & Ear Defenders

Contents: 9304 - FFP2 Fold Flat Mask, 201 - Standard Goggles Indirect Vent, 9125XL - Flexi Grip Nitrile Palm Gloves (X-Large) - Pair, 406 - Ear Defenders Cat 3 - Standard



E SSP250
Sharps Bin

Enables the safe storage of sharps waste from all categories prior to disposal.

Size: 2.5L



F SEE BELOW
Disposable Coveralls

Elasticated hood, cuffs and ankles. Protects clothing in a range of environments.

Model No:	Size:
9601L	Large
9601XL	X-Large



WORKSAFE®

A 9712
Trouser Knee Pads - Pair
 Fits most work trousers. Can be cut-to-size. Soft comfortable foam.



WORKSAFE®

B 9706
Comfort Knee Pads - Pair
 Lightweight for comfort. Adjustable straps.



WORKSAFE®

C 9711
Hard Shell Gel Knee Pads - Pair
 Hard-wearing composite front cover for extended life with an anti-slip grip design. Adjustable wide straps. Gel core shapes to knee for comfort.



D SSP79
EVA Foam with TPR Cap Knee Pads - Pair
 Combination of EVA foam and a hard-wearing TPR cap provide the required comfort and protection. Utilises a single hook-and-loop closing strap.



E SSP16
Safety Baseball Bump Cap
 Baseball bump cap with solid internal cover for protection against knocks and grazes. Adjustable strap suits all sizes. Convenient short peak design, better suited for working in and around vehicles. Internal padding and ventilation for added comfort. Conforms to EN 812.



WORKSAFE®

F SSP63
Heavy-Duty Double Gel Knee Pads - Pair
 Anti-compression genuine double gel foam gives maximum cushioning for added comfort and manoeuvrability. Hard-wearing non-scratch pads for extended life. Twin hook-and-loop straps offer a more comfortable fit and stops knee pads from slipping.



WORKSAFE®

G SEE BELOW
Back Support Belts
 Designed to give all day support whilst bending and lifting.

Model No:	Size:
9707M	Medium; 840-1020mm
9707L	Large; 965-1120mm

H 502YFK
Forestry Kit
 Includes helmet, mesh visor and clip-on ear defenders. Helmet conforms to BS EN397. Visor conforms to BSEN1731:2006. Ear defenders conform to BS EN352-3.
Colour: Yellow



WORKSAFE®

Optional Chin Strap
Model No. 503



WORKSAFE®

I SEE BELOW
Safety Helmets
 Available in four colours these premium Safety Helmets conform to BS EN397. Fitted with a comfortable webbed harness, with twist and lock ratchet mechanism size adjustment for user comfort and ease of use. A short peak means that the helmet is less likely to get in the way in confined spaces. A full range of clip-on accessories are available for use with these helmets.

Model No:	Colour:
502Y	Yellow
502BLK	Black
502B	Blue
502W	White



WORKSAFE®

A SEE BELOW

Hi-Vis Orange Jackets with Quilted Lining

Waterproof motorway jackets with full quilted lining for greater warmth and comfort. Fitted with retractable hood, two outer pockets, inner phone pocket and both zipper and snap closing for added protection against rain. Conforms to EN ISO 20471:2013+A1:2016 Class 3 and EN 343:2003+A1:2007 Class 3:1.

Model No:	Size:
806LO	Large
806XLO	X-Large
806XXLO	XX-Large



WORKSAFE®

B SEE BELOW

Hi-Vis Orange Jackets with Quilted Lining, Elasticated Waist & Cuffs

Waterproof motorway jackets with full quilted lining for greater warmth and comfort. Fitted with retractable hood, two outer pockets, inner phone pocket, elasticated waist and wrists and both zipper and snap closing for added protection against rain. Conforms to EN ISO 20471:2013+A1:2016 Class 3 and EN 343:2003+A1:2007 Class 3:1.

Model No:	Size:
802LO	Large
802XLO	X-Large
802XXLO	XX-Large



WORKSAFE®

C SEE BELOW

Hi-Vis Orange Waterproof Trousers

Fully waterproof reflective trousers fitted with elasticated waist, two pockets and adjustable ankles. Conforms to EN ISO 20471:2013+A1:2016 Class 1 and EN 343:2003+A1:2007 Class 3:1.

Model No:	Waist Size:	Size:
807MO	108-116cm	Medium
807LO	116-124cm	Large
807XLO	124-132cm	X-Large
807XXLO	132-140cm	XX-Large



WORKSAFE®

D SEE BELOW

Hi-Vis Orange Waistcoats

Conforms to BS EN471, Class 2.

Model No:	Size:
9812M	Medium
9812L	Large
9812XL	X-Large
9812XXL	XX-Large



WORKSAFE®

E SEE BELOW

Hi-Vis Yellow Waistcoats

Conforms to BS EN471, Class 2.

Model No:	Size:
9804M	Medium
9804L	Large
9804XL	X-Large
9804XXL	XX-Large



WORKSAFE®

F SEE BELOW

Hi-Vis Yellow Jackets with Quilted Lining

Waterproof motorway jackets with full quilted lining for greater warmth and comfort. Fitted with retractable hood, two outer pockets, inner phone pocket and both zipper and snap closing for added protection against rain. Conforms to EN ISO 20471:2013+A1:2016 Class 3 and EN 343:2003+A1:2007 Class 3:1.

Model No:	Size:
806L	Large
806XL	X-Large
806XXL	XX-Large



WORKSAFE®

G SEE BELOW

Hi-Vis Yellow Jackets with Quilted Lining, Elasticated Waist & Cuffs

Waterproof motorway jackets with full quilted lining for greater warmth and comfort. Fitted with retractable hood, two outer pockets, inner phone pocket, elasticated waist and wrists and both zipper and snap closing for added protection against rain. Conforms to EN ISO 20471:2013+A1:2016 Class 3 and EN 343:2003+A1:2007 Class 3:1.

Model No:	Size:
802L	Large
802XL	X-Large
802XXL	XX-Large



WORKSAFE®

H SEE BELOW

Hi-Vis Yellow Waterproof Trousers

Fully waterproof reflective trousers fitted with elasticated waist, two pockets and adjustable ankles. Conforms to EN ISO 20471:2013+A1:2016 Class 1 and EN 343:2003+A1:2007 Class 3:1.

Model No:	Waist Size:	Size:
807M	108-116cm	Medium
807L	116-124cm	Large
807XL	124-132cm	X-Large
807XXL	132-140cm	XX-Large

The Health and Safety (Safety Signs & Signals) Regulations 1996 require employers to provide and maintain safety signs where there is significant risk to health and safety that has not been avoided or controlled by other means (e.g. safe systems of work) provided that the use of a sign can help reduce the risk. ISO 7010 was developed to provide consistency in design across the EU. All our signs are manufactured in compliance with BS EN ISO 7010 standards.

The use of symbols and graphical images is a simple safety system used to convey safety messages at a glance. Colours and symbols, appropriately used, provide information and warnings of hazards which are essential to personal safety. Safety signs are categorised by five main sections: Hazard, Mandatory, Safety, Prohibition and Fire Equipment. Available individually or in packs of 10, in a variety of materials.



A SEE BELOW

Fire Door Keep Shut

Dimensions:	80mm x 80mm	
Model No:	Material:	Pack Qty:
SS1V1	Self-Adhesive Vinyl	1
SS1V10	Self-Adhesive Vinyl	10
SS1P1	Rigid Plastic	1
SS1P10	Rigid Plastic	10

B SEE BELOW

Fire Exit Keep Clear

Dimensions:	200mm x 200mm	
Model No:	Material:	Pack Qty:
SS2V1	Self-Adhesive Vinyl	1
SS2V10	Self-Adhesive Vinyl	10
SS2P1	Rigid Plastic	1
SS2P10	Rigid Plastic	10

C SEE BELOW

Automatic Fire Door Keep Clear

Dimensions:	80mm x 80mm	
Model No:	Material:	Pack Qty:
SS3V1	Self-Adhesive Vinyl	1
SS3V10	Self-Adhesive Vinyl	10
SS3P1	Rigid Plastic	1
SS3P10	Rigid Plastic	10

D SEE BELOW

Fire Door Keep Locked Shut

Dimensions:	80mm x 80mm	
Model No:	Material:	Pack Qty:
SS4V1	Self-Adhesive Vinyl	1
SS4V10	Self-Adhesive Vinyl	10
SS4P1	Rigid Plastic	1
SS4P10	Rigid Plastic	10



E SEE BELOW

Now Wash Your Hands

Dimensions:	300mm x 100mm	
Model No:	Material:	Pack Qty:
SS5V1	Self-Adhesive Vinyl	1
SS5V10	Self-Adhesive Vinyl	10
SS5P1	Rigid Plastic	1
SS5P10	Rigid Plastic	10

F SEE BELOW

Hand Protection Must Be Worn

Dimensions:	300mm x 100mm	
Model No:	Material:	Pack Qty:
SS6V1	Self-Adhesive Vinyl	1
SS6V10	Self-Adhesive Vinyl	10
SS6P1	Rigid Plastic	1
SS6P10	Rigid Plastic	10

G SEE BELOW

Protective Footwear Must Be Worn

Dimensions:	300mm x 100mm	
Model No:	Material:	Pack Qty:
SS7V1	Self-Adhesive Vinyl	1
SS7V10	Self-Adhesive Vinyl	10
SS7P1	Rigid Plastic	1
SS7P10	Rigid Plastic	10

H SEE BELOW

Safety Helmets Must Be Worn In This Area

Dimensions:	300mm x 100mm	
Model No:	Material:	Pack Qty:
SS8V1	Self-Adhesive Vinyl	1
SS8V10	Self-Adhesive Vinyl	10
SS8P1	Rigid Plastic	1
SS8P10	Rigid Plastic	10



I SEE BELOW

High Visibility Jackets Must Be Worn Beyond This Point

Dimensions:	300mm x 100mm	
Model No:	Material:	Pack Qty:
SS9V1	Self-Adhesive Vinyl	1
SS9V10	Self-Adhesive Vinyl	10
SS9P1	Rigid Plastic	1
SS9P10	Rigid Plastic	10

J SEE BELOW

Use Ear Protectors

Dimensions:	300mm x 100mm	
Model No:	Material:	Pack Qty:
SS10V1	Self-Adhesive Vinyl	1
SS10V10	Self-Adhesive Vinyl	10
SS10P1	Rigid Plastic	1
SS10P10	Rigid Plastic	10

K SEE BELOW

Eye Protection Must Be Worn


Dimensions:	300mm x 100mm	
Model No:	Material:	Pack Qty:
SS11V1	Self-Adhesive Vinyl	1
SS11V10	Self-Adhesive Vinyl	10
SS11P1	Rigid Plastic	1
SS11P10	Rigid Plastic	10

L SEE BELOW

Wear Correct Eye Protection When Welding

Dimensions:	300 x 100mm	
Model No:	Material:	Pack Qty:
SS54V1	Self-Adhesive Vinyl	1
SS54V10	Self-Adhesive Vinyl	10
SS54P1	Rigid Plastic	1
SS54P10	Rigid Plastic	10

A NEW



A SEE BELOW
Wear Face Shield

Dimensions:	300 x 100mm	
Model No:	Material:	Pack Qty:
SS55V1	Self-Adhesive Vinyl	1
SS55V10	Self-Adhesive Vinyl	10
SS55P1	Rigid Plastic	1
SS55P10	Rigid Plastic	10

B NEW



B SEE BELOW
Respirators Must Be Worn

Dimensions:	300 x 100mm	
Model No:	Material:	Pack Qty:
SS56V1	Self-Adhesive Vinyl	1
SS56V10	Self-Adhesive Vinyl	10
SS56P1	Rigid Plastic	1
SS56P10	Rigid Plastic	10

C NEW



C SEE BELOW
Masks Must Be Worn When Working Here

Dimensions:	300 x 100mm	
Model No:	Material:	Pack Qty:
SS57V1	Self-Adhesive Vinyl	1
SS57V10	Self-Adhesive Vinyl	10
SS57P1	Rigid Plastic	1
SS57P10	Rigid Plastic	10

D



D SEE BELOW
Foam Fire Extinguisher

Dimensions:	75 x 210mm	
Model No:	Material:	Pack Qty:
SS30V1	Self-Adhesive Vinyl	1
SS30V10	Self-Adhesive Vinyl	10
SS30P1	Rigid Plastic	1
SS30P10	Rigid Plastic	10

E NEW



E SEE BELOW
MOT Testing Station

Dimensions:	600 x 625mm	
Model No:	Material:	Pack Qty:
SS51A1	Aluminium Composite	1
SS51P1	Rigid Plastic	1
SS51P10	Rigid Plastic	10

F NEW



F SEE BELOW
Fire Action Without Lift

Dimensions:	200 x 250mm	
Model No:	Material:	Pack Qty:
SS20V1	Self-Adhesive Vinyl	1
SS20V10	Self-Adhesive Vinyl	10
SS20P1	Rigid Plastic	1
SS20P10	Rigid Plastic	10

G NEW



G SEE BELOW
Fire Action With Lift

Dimensions:	200 x 250mm	
Model No:	Material:	Pack Qty:
SS19V1	Self-Adhesive Vinyl	1
SS19V10	Self-Adhesive Vinyl	10
SS19P1	Rigid Plastic	1
SS19P10	Rigid Plastic	10

H

NEW



H SEE BELOW
Powder Fire Extinguisher

Dimensions:	75 x 210mm	
Model No:	Material:	Pack Qty:
SS52V1	Self-Adhesive Vinyl	1
SS52V10	Self-Adhesive Vinyl	10
SS52P1	Rigid Plastic	1
SS52P10	Rigid Plastic	10

I NEW



I SEE BELOW
MOT Parking

Dimensions:	300 x 100mm	
Model No:	Material:	Pack Qty:
SS49V1	Self-Adhesive Vinyl	1
SS49V10	Self-Adhesive Vinyl	10
SS49P1	Rigid Plastic	1
SS49P10	Rigid Plastic	10

J



J SEE BELOW
MOT Viewing Area

Dimensions:	300 x 100mm	
Model No:	Material:	Pack Qty:
SS50V1	Self-Adhesive Vinyl	1
SS50V10	Self-Adhesive Vinyl	10
SS50P1	Rigid Plastic	1
SS50P10	Rigid Plastic	10


K

NEW




K SEE BELOW
Fire Blanket

Dimensions:	75 x 210mm	
Model No:	Material:	Pack Qty:
SS53V1	Self-Adhesive Vinyl	1
SS53V10	Self-Adhesive Vinyl	10
SS53P1	Rigid Plastic	1
SS53P10	Rigid Plastic	10



A SEE BELOW
Water Fire Extinguisher

Dimensions:	75 x 210mm
Model No:	Material: Pack Qty:
SS27V1	Self-Adhesive Vinyl 1
SS27V10	Self-Adhesive Vinyl 10
SS27P1	Rigid Plastic 1
SS27P10	Rigid Plastic 10



B SEE BELOW
CO₂ Fire Extinguisher

Dimensions:	75 x 210mm
Model No:	Material: Pack Qty:
SS21V1	Self-Adhesive Vinyl 1
SS21V10	Self-Adhesive Vinyl 10
SS21P1	Rigid Plastic 1
SS21P10	Rigid Plastic 10



C SEE BELOW
Fire Extinguisher

Dimensions:	150 x 200mm
Model No:	Material: Pack Qty:
SS15V1	Self-Adhesive Vinyl 1
SS15V10	Self-Adhesive Vinyl 10
SS15P1	Rigid Plastic 1
SS15P10	Rigid Plastic 10



D SEE BELOW
Sprinkler Stop Valve Inside

Dimensions:	200 x 150mm
Model No:	Material: Pack Qty:
SS23V1	Self-Adhesive Vinyl 1
SS23V10	Self-Adhesive Vinyl 10
SS23P1	Rigid Plastic 1
SS23P10	Rigid Plastic 10



E SEE BELOW
No Smoking

Dimensions:	300 x 100mm
Model No:	Material: Pack Qty:
SS13V1	Self-Adhesive Vinyl 1
SS13V10	Self-Adhesive Vinyl 10
SS13P1	Rigid Plastic 1
SS13P10	Rigid Plastic 10



F SEE BELOW
Emergency Stop

Dimensions:	75 x 100mm
Model No:	Material: Pack Qty:
SS35V1	Self-Adhesive Vinyl 1
SS35V10	Self-Adhesive Vinyl 10
SS35P1	Rigid Plastic 1
SS35P10	Rigid Plastic 10



G SEE BELOW
No Access For Unauthorised Persons

Dimensions:	300 x 100mm
Model No:	Material: Pack Qty:
SS17V1	Self-Adhesive Vinyl 1
SS17V10	Self-Adhesive Vinyl 10
SS17P1	Rigid Plastic 1
SS17P10	Rigid Plastic 10



H SEE BELOW
No Parking

Dimensions:	300 x 100mm
Model No:	Material: Pack Qty:
SS16V1	Self-Adhesive Vinyl 1
SS16V10	Self-Adhesive Vinyl 10
SS16P1	Rigid Plastic 1
SS16P10	Rigid Plastic 10



I SEE BELOW
No Smoking (On Premises)

Dimensions:	148 x 210mm
Model No:	Material: Pack Qty:
SS12V1	Self-Adhesive Vinyl 1
SS12V10	Self-Adhesive Vinyl 10
SS12P1	Rigid Plastic 1
SS12P10	Rigid Plastic 10



J SEE BELOW
Fire Alarm

Dimensions:	80 x 80mm
Model No:	Material: Pack Qty:
SS31V1	Self-Adhesive Vinyl 1
SS31V10	Self-Adhesive Vinyl 10
SS31P1	Rigid Plastic 1
SS31P10	Rigid Plastic 10



K SEE BELOW
No Entry

Dimensions:	300 x 100mm
Model No:	Material: Pack Qty:
SS14V1	Self-Adhesive Vinyl 1
SS14V10	Self-Adhesive Vinyl 10
SS14P1	Rigid Plastic 1
SS14P10	Rigid Plastic 10



L SEE BELOW
CCTV In Operation

Dimensions:	75 x 100mm
Model No:	Material: Pack Qty:
SS40V1	Self-Adhesive Vinyl 1
SS40V10	Self-Adhesive Vinyl 10
SS40P1	Rigid Plastic 1
SS40P10	Rigid Plastic 10



M SEE BELOW
Caution Do Not Use Lift

Dimensions:	150 x 200mm
Model No:	Material: Pack Qty:
SS43V1	Self-Adhesive Vinyl 1
SS43V10	Self-Adhesive Vinyl 10
SS43P1	Rigid Plastic 1
SS43P10	Rigid Plastic 10



A SEE BELOW
Fire Exit Down

Dimensions:	300 x 100mm
Model No:	Material: Pack Qty:
SS22V1	Self-Adhesive Vinyl 1
SS22V10	Self-Adhesive Vinyl 10
SS22P1	Rigid Plastic 1
SS22P10	Rigid Plastic 10



B SEE BELOW
Fire Exit Right

Dimensions:	300 x 100mm
Model No:	Material: Pack Qty:
SS24V1	Self-Adhesive Vinyl 1
SS24V10	Self-Adhesive Vinyl 10
SS24P1	Rigid Plastic 1
SS24P10	Rigid Plastic 10



C SEE BELOW
Fire Exit Left

Dimensions:	300 x 100mm
Model No:	Material: Pack Qty:
SS25V1	Self-Adhesive Vinyl 1
SS25V10	Self-Adhesive Vinyl 10
SS25P1	Rigid Plastic 1
SS25P10	Rigid Plastic 10



D SEE BELOW
Fire Exit Up

Dimensions:	300 x 100mm
Model No:	Material: Pack Qty:
SS28V1	Self-Adhesive Vinyl 1
SS28V10	Self-Adhesive Vinyl 10
SS28P1	Rigid Plastic 1
SS28P10	Rigid Plastic 10



E SEE BELOW
Fire Exit Down Left

Dimensions:	300 x 100mm
Model No:	Material: Pack Qty:
SS34V1	Self-Adhesive Vinyl 1
SS34V10	Self-Adhesive Vinyl 10
SS34P1	Rigid Plastic 1
SS34P10	Rigid Plastic 10



F SEE BELOW
Fire Exit Down Right

Dimensions:	300 x 100mm
Model No:	Material: Pack Qty:
SS36V1	Self-Adhesive Vinyl 1
SS36V10	Self-Adhesive Vinyl 10
SS36P1	Rigid Plastic 1
SS36P10	Rigid Plastic 10



G SEE BELOW
Push Bar To Open

Dimensions:	300 x 70mm
Model No:	Material: Pack Qty:
SS29V1	Self-Adhesive Vinyl 1
SS29V10	Self-Adhesive Vinyl 10
SS29P1	Rigid Plastic 1
SS29P10	Rigid Plastic 10



H SEE BELOW
First Aid

Dimensions:	250 x 300mm
Model No:	Material: Pack Qty:
SS26V1	Self-Adhesive Vinyl 1
SS26V10	Self-Adhesive Vinyl 10
SS26P1	Rigid Plastic 1
SS26P10	Rigid Plastic 10



I SEE BELOW
Assembly Point


Rigid plastic. Suitable for use in office, workshop and all other commercial and retail environments.

Dimensions:	250 x 300mm
Model No:	Pack Qty:
SS37P1	1
SS37P10	10



J SEE BELOW
Fire Exit Keep Clear

Dimensions:	300 x 100mm
Model No:	Material: Pack Qty:
SS18V1	Self-Adhesive Vinyl 1
SS18V10	Self-Adhesive Vinyl 10
SS18P1	Rigid Plastic 1
SS18P10	Rigid Plastic 10
Dimensions:	600 x 200mm
Model No:	Material: Pack Qty:
SS32V1	Self-Adhesive Vinyl 1
SS32V10	Self-Adhesive Vinyl 10
SS32P1	Rigid Plastic 1
SS32P10	Rigid Plastic 10



K SEE BELOW
Electric Shock Emergency Action

Rigid plastic. Suitable for use in office, workshop and all other commercial and retail environments.

Dimensions:	450 x 600mm
Model No:	Pack Qty:
SS33P1	1
SS33P10	10



L SEE BELOW
Eye Wash

Dimensions:	300 x 100mm
Model No:	Material: Pack Qty:
SS58P1	Rigid Plastic 1
SS58P10	Rigid Plastic 10
SS58V1	Self-Adhesive Vinyl 1
SS58V10	Self-Adhesive Vinyl 10



A SEE BELOW

**Warning Safety Sign
Danger Waste Oil**

Dimensions:		200 x 300mm	
Model No:	Material:	Pack Qty:	
SS60V1	Self-Adhesive Vinyl	1	
SS60V10	Self-Adhesive Vinyl	10	
SS60P1	Rigid Plastic	1	
SS60P10	Rigid Plastic	10	



B SEE BELOW

Danger Oxygen Cylinders

Dimensions:		200 x 300mm	
Model No:	Material:	Pack Qty:	
SS61V1	Self-Adhesive Vinyl	1	
SS61V10	Self-Adhesive Vinyl	10	
SS61P1	Rigid Plastic	1	
SS61P10	Rigid Plastic	10	



C SEE BELOW

Danger Propane Cylinders

Dimensions:		200 x 300mm	
Model No:	Material:	Pack Qty:	
SS62V1	Self-Adhesive Vinyl	1	
SS62V10	Self-Adhesive Vinyl	10	
SS62P1	Rigid Plastic	1	
SS62P10	Rigid Plastic	10	



D SEE BELOW

Danger Acetylene Cylinders

Dimensions:		200 x 300mm	
Model No:	Material:	Pack Qty:	
SS63V1	Self-Adhesive Vinyl	1	
SS63V10	Self-Adhesive Vinyl	10	
SS63P1	Rigid Plastic	1	
SS63P10	Rigid Plastic	10	



E SEE BELOW

Caution Hot Water

Dimensions:		75 x 100mm	
Model No:	Material:	Pack Qty:	
SS38V1	Self-Adhesive Vinyl	1	
SS38V10	Self-Adhesive Vinyl	10	
SS38P1	Rigid Plastic	1	
SS38P10	Rigid Plastic	10	



F SEE BELOW

Caution Automatic Machinery

Dimensions:		300 x 100mm	
Model No:	Material:	Pack Qty:	
SS47V1	Self-Adhesive Vinyl	1	
SS47V10	Self-Adhesive Vinyl	10	
SS47P1	Rigid Plastic	1	
SS47P10	Rigid Plastic	10	



G SEE BELOW

Danger Men At Work

Dimensions:		300 x 100mm	
Model No:	Material:	Pack Qty:	
SS46V1	Self-Adhesive Vinyl	1	
SS46V10	Self-Adhesive Vinyl	10	
SS46P1	Rigid Plastic	1	
SS46P10	Rigid Plastic	10	



H SEE BELOW

Danger Electricity

Dimensions:		100 x 75mm	
Model No:	Material:	Pack Qty:	
SS41V1	Self-Adhesive Vinyl	1	
SS41V10	Self-Adhesive Vinyl	10	
SS41P1	Rigid Plastic	1	
SS41P10	Rigid Plastic	10	



I SEE BELOW

Danger Hot Surface

Dimensions:		75 x 100mm	
Model No:	Material:	Pack Qty:	
SS42V1	Self-Adhesive Vinyl	1	
SS42V10	Self-Adhesive Vinyl	10	
SS42P1	Rigid Plastic	1	
SS42P10	Rigid Plastic	10	



J SEE BELOW

Danger High Voltage

Dimensions:		300 x 100mm	
Model No:	Material:	Pack Qty:	
SS48V1	Self-Adhesive Vinyl	1	
SS48V10	Self-Adhesive Vinyl	10	
SS48P1	Rigid Plastic	1	
SS48P10	Rigid Plastic	10	



K SEE BELOW

Flammable Gas

Dimensions:		200 x 300mm	
Model No:	Material:	Pack Qty:	
SS59V1	Self-Adhesive Vinyl	1	
SS59V10	Self-Adhesive Vinyl	10	
SS59P1	Rigid Plastic	1	
SS59P10	Rigid Plastic	10	



L SEE BELOW

Danger Highly Flammable

Dimensions:		300 x 100mm	
Model No:	Material:	Pack Qty:	
SS45V1	Self-Adhesive Vinyl	1	
SS45V10	Self-Adhesive Vinyl	10	
SS45P1	Rigid Plastic	1	
SS45P10	Rigid Plastic	10	



M SEE BELOW

Caution Fork-Lift Trucks

Dimensions:		300 x 100mm	
Model No:	Material:	Pack Qty:	
SS44V1	Self-Adhesive Vinyl	1	
SS44V10	Self-Adhesive Vinyl	10	
SS44P1	Rigid Plastic	1	
SS44P10	Rigid Plastic	10	



N SEE BELOW

Mind Your Head





Dimensions:		300 x 100mm	
Model No:	Material:	Pack Qty:	
SS39V1	Self-Adhesive Vinyl	1	
SS39V10	Self-Adhesive Vinyl	10	
SS39P1	Rigid Plastic	1	
SS39P10	Rigid Plastic	10	

A-G SEE BELOW

Fire Extinguishers

Manufactured in the UK this comprehensive range of classified fire extinguishers are suitable for domestic, industrial and commercial use. Fully accredited to BS EN 3 and Kite marked. 5 Year guarantee on all models. Effective on A, B and C Class fires and fires involving live electrical equipment, depending on version. With the exception of Model No's SDPE006D and SDPE009D, each model is refillable and fitted with pressure gauge. All models supplied with wall mounting brackets.

FIRE TEST RATING
 Extinguishers are tested on A or B Class fires (both if suitable) to determine the rating. This is shown by a number and letter e.g. 13A. The number represents the size of the fire which was extinguished under test conditions. The letter shows the fire classification that the extinguisher was tested to and is suitable for.

FIRE CLASSIFICATION	FOAM Cream	BC POWDER Blue	ABC POWDER Blue	CARBON DIOXIDE Black
Combustion of solid materials such as wood, paper and textiles 	YES Smothering and cooling effect	YES Only on small surface fires	YES Rapid knockdown. Smothering effect prevents re-ignition	YES Only on small surface fires
Combustion of liquids e.g. petrol, oil, paint, solvents and grease 	YES Blankets fire and prevents re-ignition	YES Rapid knockdown	YES Rapid knockdown	YES Rapid knockdown. Leaves no residue
Combustion of flammable gases e.g. propane, butane, natural gas 	NO	YES	YES	NO
Fires involving electrical equipment 	NO Foam can conduct electricity	YES	YES	YES Beware in confined spaces

Dry Powder

5 YEAR GUARANTEE*

A



0.6kg

B



0.95kg

C D E

A



1kg

B



2kg

C



6kg

F



2kg
Carbon Dioxide

G Foam



6L

H



FIRE BLANKET
 Model No. SFB11
 Size: 1.1m x 1.1m
 SEALEY
 PULL TABS TO RELEASE BLANKET

H SFB11
1.1 x 1.1m Fire Blanket
 General-purpose disposable fire blanket suitable for use in kitchens, caravans and other similar environments. Fully accredited to BS EN 1869. Supplied in wall mounting case.

I



Fire extinguisher not included.

I SFEH02
Fire Extinguisher Stand - Double
 Manufactured from durable composite material. Allows extinguishers weighing 6-12kg to be stored without having to drill holes into walls. Suitable for storing two fire extinguishers.

J



Fire extinguisher not included.

J SFEC01
Fire Extinguisher Cabinet - Single
 Manufactured from durable composite material. Specifically designed to store a single fire extinguisher weighing 6-12kg. Ideal for warehouses, distribution yards and garages.

	A	B	C	D	E	F	G
Model No:	SDPE006D	SDPE009D	SDPE01	SDPE02	SDPE06	SCDE02	SFE06
Capacity:	0.6kg	0.95kg	1kg	2kg	6kg	2kg	6L
Class/Type:	BC/Powder	BC/Powder	ABC/Powder	ABC/Powder	ABC/Powder	B/CO ₂	AB/Foam
Fire Test Rating:	13B	21B	5A/34B	13A/70B	27A/183B	34B	13A/144B
Working Pressure:	7bar	10bar	12bar	15bar	12bar	56bar	12bar
Height/Diameter:	303/Ø98mm	290/Ø66mm	340/Ø102mm	420/Ø135mm	540/Ø220mm	500/Ø165mm	540/Ø220mm
Discharge Duration:	6sec	10sec	8sec	11sec	18sec	9sec	38sec
Discharge Range:	1-2m	1-2m	2-3m	2-3m	5m	2-3m	3-4m
Working Temperature:	-20 to +50°C	-20 to +60°C	-20 to +60°C	-20 to +60°C	-20 to +60°C	-20 to +60°C	+5 to +60°C
Weight:	0.736kg	1.02kg	2.2kg	3.9kg	10.1kg	5.1kg	10.1kg

A-C SEE BELOW

Workplace First Aid Kits BS 8599-1 Compliant

These kits have been specifically designed for the workplace. Unlike traditional kits these are not only chosen by the number of employees/visitors, you will need to take into account the risk factor of the environment they're located in. The British Standard specifies a carefully selected content of first aid supplies for each kit. Available in Small, Medium or Large sizes, all supplied in composite storage cases. Please see the table to the right for guidance on which kit you require*.

A list of the full contents is shown at the bottom of the page for each kit.

Category of Risk	Number of Employees		Quantity & Size of Kit Required
Low Risk e.g. Shops, Offices, Libraries	Less than 25	A	1 Small Kit
	25 - 100	B	1 Medium Kit
	More than 100	C	1 Large Kit per 100 Employees
High Risk e.g. Garages/Workshops, Light Engineering, Food Processing, Warehousing, Construction, Working with Chemicals	Less than 5	A	1 Small Kit
	5 - 25	B	1 Medium Kit
	More than 25	C	1 Large Kit per 25 Employees

*The table is for guidance only. It is the employer's/owner's responsibility to assess the requirements for the category of risk and adjust accordingly.



BS 8599-1

A SFA01S
Small First Aid Travel Kit
BS 8599-1 Compliant



BS 8599-1

B SFA01M
Medium First Aid Kit
BS 8599-1 Compliant



BS 8599-1

C SFA01L
Large First Aid Kit
BS 8599-1 Compliant

Component	Description	Quantity		
		A	B	C
First Aid Guidance Leaflet	Provides brief first aid guidelines.	1	1	1
Medium Sterile Dressing	Conforming bandage: minimum 75mm width and minimum 2000mm stretched length, with an absorbent pad not less than 120 x 120mm.	4	6	8
Large Sterile Dressing	Conforming bandage: minimum 100mm width and minimum 2000mm stretched length, with an absorbent pad not less than 180 x 180mm.	1	2	2
Triangular Bandage	Minimum of 20gsm non-woven material or cotton not less than 900 x 900 x 1270mm.	2	3	4
Safety Pins	Minimum length of 25mm.	6	12	24
Eye Pad Sterile Dressing	Conforming bandage: minimum 50mm width and minimum 1500mm stretched length or elasticated looped bandage, with an oval pad not less than 70 x 50mm.	2	3	4
Water Resistant Plasters	Water resistant, sterile, island design, individually wrapped, minimum surface area of 75 x 75mm, dressing pad not less than 20% of the area.	40	60	100
Alcohol-Free Moist Cleansing Wipes	Individually wrapped, sterile, minimum of 80 x 80mm.	20	30	40
Adhesive Tape	Roll, individually wrapped, minimum 25 x 5000mm.	1	1	1
Nitrile Disposable Gloves (Pair)	Conforms to BS EN 455-1 and BS EN 455-2, large size (8-9).	6	9	12
Finger Sterile Dressing	Conforming bandage: minimum 35mm width and minimum 300mm stretched length, with a dressing pad minimum 35 x 35mm.	2	3	4
Resuscitation Face Shield	Includes a one-way valve.	1	1	2
Foil Blanket	1300 x 2100mm.	1	2	3
Burn Dressing	Water-based, gel-soaked dressing, sterile, minimum 1000 x 1000mm surface area.	1	2	2
Shears	Suitable for cutting clothing, including leather.	1	1	1
Conforming Bandage	Minimum 75mm width and 4000mm stretched length.	1	2	2



A EWS01
Eye/Wound Wash Station

Comprises sterile eye and wound wash for cleaning and eye pads for dressing. Comprehensive station suitable for garages, workshops and any other environment with potential eye/wound related hazards. Supplied in a robust storage case with carry handle and wall mounting bracket.

Contents: 500ml Eye Wash (x2), 15ml Eye/Wound Wash (x2), Eye Dressings (x2)



B EWS02
Eye/Wound Wash Station

Includes 20ml saline solution pods (x10) for cleaning eyes and wounds. Features a shatterproof mirror. Suitable for garages, workshops and any other environment with potential eye/wound related hazards.

Contents: 20ml Saline Solution Pods (x10), Sterile Dressing Eye Pads (x2)



C EWS03
Eye/Wound Wash Station

Comprises sterile eye and wound wash for cleaning and eye pads for dressing. Features a shatterproof mirror. Suitable for garages, workshops and any other environment with potential eye/wound related hazards.

Contents: 500ml Saline Solution Bottles (x2), Sterile Dressing Eye Pads (x2)



D EWS25
Eye & Wound Wash Station Pods - Pack of 25

Sterile, single use emergency 20ml saline solution for eye washing and wound cleaning. Suitable for garages, workshops and any other environment with potential eye/wound related hazards.

Size: 20ml
Quantity: Pack of 25



E EWS50
500ml Eye/Wound Wash Solution

Sterile, single use emergency saline solution for eye washing and wound cleaning. Suitable for garages, workshops and any other environment with potential eye/wound related hazards.



F SBK10
100 x 100mm Burn Relief Dressing

Sterile burn dressing to relieve the pain, cool the burn and protect against airborne contamination. Ideal for use in the workplace or at home.



G SBK12
120ml Burn Relief Gel

Made specifically to relieve the pain of minor burns. Effective as soon as applied, by soothing and cooling minor burns and scalds. Ideal for use in the workshop or at home.



H SFA02
Medium First Aid Kit for Cars, Taxis & Small Vans - BS 8599-2 Compliant

Compliant with the latest regulations according to BS 8599-2. Small and compact design is suitable for glove compartments.



I SFA03
First Aid Grab Bag

Contains everything needed for minor first aid injuries. Small and compact design suitable for glove compartments or travelling. Supplied in resealable foil bag.

Contents: Sterile Saline Wipes (x4), Washproof Plasters (x20), Fabric Plasters (x20), Non-Woven Triangular Bandage 900 x 900 x 1270mm, Microporous Tape 2.5cm x 5m, Pair Gloves, Medium Dressing 12 x 12cm

